Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FALL OF 1905.

TRADE LIST

OF THE

MOUNT HOPE NURSERIES

ROCHESTER, N.Y.

ELLWANGER & BARRY, PROPRIETORS.

ESTABLISHED, 1840.

We take pleasure in presenting herewith our Wholesale Catalogue or Trade List for the Fall of 1905.

The stock herein offered is of the best quality in all respects and well worthy the attention of Dealers, Nurserymen, and Planters.

We keep all our departments fully up to the times, adding every new variety of merit as soon as we are satisfied of its value.

Our collections are carefully examined every year, and such things as seem to have little or no value are discarded. In this way we offer to our customers assortments which we can recommend with the greatest confidence.

The extent and completeness of the collections of both Fruit and Ornamental Departments of these Nurseries, their reputation for accuracy, which is scrupulously maintained; the long experience of the Proprietors and their assistants, in digging, packing, shipping, and in every detail of Nursery work, are well worthy the consideration of purchasers. No pains will be spared to insure satisfaction to those who favor us with their orders.

THE FALL PACKING SEASON.

We usually commence digging and packing the first week in October, and continue until the freezing of the ground, say, middle of November.

DIRECTIONS FOR SHIPPING.

Parties ordering are requested to state explicitly the mode of conveyance by which they desire their trees forwarded. When no route is designated, we exercise our judgment; but in no case do we assume any responsibility after the packages are shipped, unless for our own mistakes. When losses occur by detention, claims should at once be made on the forwarder.

CONDITIONS OF SALE.

FIRST—The articles in the following list will be furnished at the annexed prices only when the quantity specified shall be taken. Five hundred will be furnished at the thousand rate, fifty at the hundred rate, and five at the rate per ten. In no case will we supply long lists of selected varieties, two or three of each, of either Fruit or Ornamental Trees or Plants, to Nurserymen or others, at wholesale rates, but at such a discount from retail prices as circumstances will justify. Ordinarily a discount of from 20 to 33\frac{1}{3} per cent. from retail single prices will be allowed on such lists.

Second—In furnishing assortments of Fruit Trees, as well as Ornamental Trees, Shrubs and Plants, at the prices in this Catalogue, we reserve the right of selecting varieties, but these will be of leading popular sorts, and in all cases we will give the purchaser his choice as far as practicable.

Third—In growing and furnishing all nursery stock we use the greatest care to have it true to name, and will replace any that may prove untrue. But no sale by us carries a warranty of quality, express or implied, and for any error we shall not be liable for more than the purchase price. Every purchase from us is made on these terms.

FOURTH—The terms of payment, CASH, or satisfactory security before delivery or shipment of trees.

The prices annexed do not include boxes or bales, which we charge for, at cost, as follows:

| Boxes | (including | packing) | 12 | feet | long | by 30-in | nch | $ends.\dots\dots\dots$ | \$3 | 50 |
|-------|------------|----------|----|------|------|----------|-----|------------------------|-----|----|
| 6.6 | 6.6 | 66 | 12 | 6 6 | 4.4 | 28 | 4 6 | | 3 | 25 |
| 6.6 | 6.6 | 6.6 | 10 | 66 | 66 | 30 | 6.6 | | 3 | 00 |
| 4.6 | 4.6 | 4.6 | 10 | 4 4 | 66 | 28 | 4.4 | | 2 | 75 |
| 6.6 | 4.6 | 4.6 | 10 | 4 4 | 6.6 | 24 | 4.4 | | 2 | 50 |
| 6.6 | 6.6 | 6.6 | 9 | 6 6 | 66 | 30 | 4 4 | | 2 | 75 |
| 4.4 | 6.6 | 66 | 9 | 4 4 | 4.4 | 28 | 4 4 | | 2 | 50 |
| " | . 66 | " | 9 | 6.6 | " | 24 | 6 6 | | 2 | 25 |

Bales, according to size, 15 cents to \$2.50.

No charge is made for cartage from the nursery to the Railroad Station.

CATALOGUES.

Our General Catalogue of Trees, Shrubs, Roses, etc., carefully revised, beautifully illustrated with half-tone engravings, contains accurate and trustworthy descriptions of the most valuable varieties in cultivation, and is replete with practical hints, indispensable to planters. Free on request.

WHOLESALE CATALOGUE OR TRADE LIST, issued semi-annually, free.

FRUIT TREES, SMALL FRUITS, ETC.

Note.—In filling orders at the prices annexed, we reserve the right of selecting the varieties, but will consult the wishes of our customers as far as we can. Orders for select varieties will be charged at special rates. Such articles as are not enumerated in this list can be supplied in retail quantities only.

| | Per 10 | Per 100 | Per 1000 |
|--|--------|------------------|----------|
| APPLES, STANDARD—First class, 5 to 7 ft. 3 in. and up | \$ | \$15.00 | \$ 80 00 |
| " Medium, $4 \text{ to } 5 \text{ ft. } \frac{3}{8} \text{ to } \frac{3}{4} \text{ in}$ | Ψ | 12 00 | |
| CRAB APPLES—Standard, first class, 5 to 7 ft. $\frac{3}{4}$ in. | | 12 00 | 00 00 |
| and up | | 15 00 | |
| " Medium, $4 \text{ to } 5 \text{ ft. } \frac{5}{8} \text{ to } \frac{3}{4} \text{ in.}$ | | 12 00 | |
| DEADS STANDADD First class 5 to 6 ft 3 in and un | | | |
| PEARS, STANDARD—First class, 5 to 6 ft. $\frac{3}{4}$ in. and up | | 20 00 | |
| Medium, 4 to 5 it. § to 4 in | | 12 00 | |
| DWARE—Flist class, 5 to 4 it | | 10 00 | |
| Medium, 2 to 5 it | | 8 00 | |
| CHERRIES, STANDARD—First class, sweet | | 25 00 | |
| " sour | | 20 00 | |
| PLUMS, STANDARD—First class, 5 to 6 ft. 3 in. and up | | 25 00 | |
| Medium, 5 to 5 II | | 20 00 | |
| " ABUNDANCE, BURBANK, RED | | | |
| JUNE, WICKSON, 1 yr. branch'd | | 20 00 | |
| PEACHES—On Peach stock, 1 year, first class | | 10 00 | 60 00 |
| " Medium, 2 to 3 ft | | 8 00 | 40 00 |
| GOOSEBERRIES-DOWNING | | 5 00 | |
| " Smith's Improved | | 5 00 | |
| "COLUMBUS | | 8 00 | |
| "PEARL | | 5 00 | |
| "RED JACKET (Josselyn) | | 5 00 | 1 |
| TRIUMPH | | 8 00 | |
| BLACKBERRIES—AGAWAM | | 1 50 | 10 00 |
| "ANCIENT BRITON | | 1 50 | |
| "EARLY KING | | 1 50 | |
| "ELDORADO | | 1 50 | 10 00 |
| "KITTATINNY | , | 1 50 | |
| | | 1 50 | |
| TAYLOR | | | |
| SNYDER | | 1 50 | 10 00 |
| WILSON JUNIOR | | 1 50 | 10 00 |
| DATHBUN | | 1 50 | |
| DEWBERRIES—LUCRETIA | | 1 50 | |
| STRAWBERRY-RASPBERRY | 1 50 | 3 00 | |
| NUTS-BUTTERNUT, 4 to 5 ft. | 2 00 | | |
| CHESTNUT, AMERICAN, 4 to 5 it | 2 00 | | |
| RIDGELY, 5 to 7 it | 2 50 | | |
| SPANISH, 3 to 4 it. | 2 50 | | |
| 4 to 5 it | 3 00 | | |
| WALNUT, ENGLISH, 2 to 3 it | 2 50 | | |
| CURRANTS—CHERRY, 2 years | | 4 00 | |
| " FAY'S PROLIFIC, 2 years | | 4 00 | 25 00 |
| romona, z years | | 4 00 | |
| RED CROSS, 2 years | | 4 00 | 30 00 |
| " VERSAILLAISE, 2 years | | 4 00 | |
| "VICTORIA, 2 years | | 4 00 | |
| WHITE GRAPE, 2 years | | 4 00 | |
| WILDER, 2 years | | 4 00 | 30 00 |
| "BLACK CHAMPION, 2 years | | $\frac{1}{4} 00$ | |
| "BLACK NAPLES, 2 years | | 4 00 | |
| Lee's Black, 2 years | | 4 00 | |
| RASPBERRIES, Red-Cuthbert | | 1 50 | 8 00 |
| " COLUMBIAN (tips) | | 1 50 | 0 00 |
| | | 1 00 | |

| RASPBERRIES, Red — CLARKE " " MARLBORO. " " MILLER. " Yellow—CHAMPLAIN. " GOLDEN QUEEN " GREGG tips " " KANSAS tips " " KANSAS TIPS MULBERRIES—NEW AMERICAN. " DOWNING. " WHITE, 5 to 6 ft. | Per 10 \$ | \$ 1 1 1 1 | | | 8 00 |
|---|-----------------------------|---------------------|------|------|------|
| " " MARLBORO. " " MILLER. " " Yellow—CHAMPLAIN. " " GOLDEN QUEEN " " GREGG tips " " KANSAS MULBERRIES—NEW AMERICAN " DOWNING | Φ | 1 1 1 | 50 | | 00 |
| " WILLER. " Yellow—CHAMPLAIN. " GOLDEN QUEEN " Black—EUREKA tips " GREGG tips " KANSAS) MULBERRIES—NEW AMERICAN " DOWNING | | 1 1 | | 0 | |
| " Yellow—CHAMPLAIN. " GOLDEN QUEEN " Black—EUREKA " " GREGG tips " " KANSAS MULBERRIES—NEW AMERICAN " DOWNING | | 1 | - 90 | | 00 |
| " GOLDEN QUEEN " Black—EUREKA " GREGG tips " KANSAS MULBERRIES—NEW AMERICAN " DOWNING | | | 50 | | |
| " Black—EUREKA tips tips to GREGG (" KANSAS " KANSAS " | | 1 1 | 50 | | |
| " GREGG tips " KANSAS MULBERRIES—NEW AMERICAN " DOWNING | | _ | 50 | | |
| MULBERRIES—NEW AMERICAN DOWNING | | | 50 | | |
| MULBERRIES—NEW AMERICAN | | | 50 | | |
| " Downing | 2 50 | | 00 | | |
| | $\frac{2}{2} \frac{50}{50}$ | 20 | UU | | |
| | $\frac{2}{2} \frac{50}{00}$ | | | | |
| FIGS— | $\frac{5}{2} 00$ | | | | |
| STRAWBERRIES—BRANDYWINE, BUBACH, GLADSTONE, | - 00 | | | - | |
| MARSHALL, McKinley, Michel's Early, | | | | | |
| SHARPLESS, | | 1 | 00 | 5 | 00 |
| RHUBARB—Best varieties. | | | 00 | | |
| ASPARAGUS—BARR'S MAMMOTH, 2 years | | | 00 | | 00 |
| "COLUMBIAN WHITE, 2 years | | | 00 | | 00 |
| "CONOVER'S COLOSSAL, 2 years | | | 00 | | 00 |
| "PALMETTO, 2 years | | _ | 00 | | 00 |
| | | - | | | |
| HADDY ODADIS Two Years | | | | | |
| HARDY GRAPES—Two Years. | | | | | |
| AGAWAM (Rogers' No. 15) | 1 00 | 5 | 00 | | |
| BARRY (Rogers' No. 43) | 1 00 | | 00 | | |
| BRIGHTON | 1 00 | | 00 | | |
| Campbell's Early (new) | 1 00 | | 00 | | 00 |
| CATAWBA | 1 00 | | 00 | , 00 | |
| CHAMPION | 1 00 | | 00 | | |
| CLINTON | 1 00 | | | | |
| CONCORD | 1 00 | | 00 | 20 | 00 |
| CREVELING | 1 00 |) | | | |
| Delaware | 1 00 | | | | |
| DIANA | 1 00 | | | | |
| Duchess | 1 00 |) | | | |
| EATON | 1 00 | 5 | 00 | | |
| EUMELAN | 1 00 | | | | |
| Gærtner (Rogers' No. 14) | 1 00 |) | | | |
| Hartford | 1 00 | 3 | 00 | | |
| HERBERT (Rogers' No. 44) | 1 00 |) | | | |
| IONA | 1 00 |) | | | |
| Isabella | 1 00 |) | | | |
| Lady | 1 00 | y. | | | |
| LINDLEY (Rogers' No. 9) | 1 00 |) | | 1 | |
| LUCILE (new) | 1 00 |) l | | | |
| MARTHA | 1 00 |) | | | |
| Massasoit (Rogers' No. 3) | 1 00 |) | | | |
| Merrimack | 1 00 | 1 | | | |
| MILLS | 5 00 |) | | | |
| Moore's Diamond | 1 00 | | 00 | | |
| Moore's Early | 1 00 | | 00 | | |
| NIAGARA | 1 00 | 4 | 00 | | |
| Pocklington | 1 00 | | | | |
| SALEM (Rogers' No. 53) | 1 00 | 5 | 00 | | |
| Vergennes | 1 00 |) | | | |
| WILDER (Rogers' No. 4) | 1 00 | | 00 | | |
| WINCHELL (identical with Green Mountain) | 1 50 | | 00 | | |
| | | | 00 | | |

ORNAMENTAL TREES, EVERGREENS AND SHRUBS

| | Per 10 | Per 100 |
|--|--|---------|
| DECIDUOUS TREES. | | - |
| AILANTHUS—GLANDULOSA, 4 to 6 ft | \$ 2 00 | \$ |
| ALDER—Imperial Cut-leaved, 4 to 5 ft | 5 00 | Ψ |
| ALMOND—DAVIDIANA ALBA, 3 to 4 ft | | |
| " RUBRA, 3 to 4 ft | | |
| " LARGE DOUBLE FLOWERED, 3 to 4 ft | 2 00 | |
| AMELANCHIER—CANADENSIS, 2 to 3 ft | | |
| ASH—AUCUBA-LEAVED, 6 to 8 ft | | |
| "EUROPEAN, 6 to 8 ft | 4 00 | |
| BEECH—BROAD-LEAVED, 5 to 6 ft | 10 00 | |
| CRESTED-LEAVED, 5 to 5 tt | 7 50 | |
| CUT-LEAVED, 5 to 4 it | 7 50 | |
| 4 10 9 11 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| "FERN-LEAVED, 3 to 4 ft OAK-LEAVED, 3 to 4 ft | 7 50 | |
| "PURPLE-LEAVED, 3 to 4 ft | 5 00 | |
| " " 4 to 5 ft Grafted trees,] | 6 00 | |
| " " 5 to 6 ft (true purple.) | 10 00 | |
| " " 6 to 8 ft " " " " " " " " " " " " " " " " " " | 20 00 | |
| | 7 50 | |
| " PURPUREA MAJOR, $3 \text{ to } 4 \text{ ft}$ $4 \text{ to } 5 \text{ ft}$ Very dark purple. $\{\dots \}$ | 10 00 | |
| "RIVERS' PURPLE, 3 to 4 ft. True Purple. | 6 00 | |
| " 4 to 5 ft. (All grafted.) | 7 50 | |
| "Weeping. See Weeping Trees. | | |
| BIRCH—Cut-leaved Weeping, 5 to 6 ft | 6 00 | 30 00 |
| 0 10 0 11 | 7 50 | 40 00 |
| EUROPEAN, 0 to 8 It | 4 00 | 30 00 |
| 8 to 10 it | 5 00 | 40 00 |
| "FASTIGIATA (Pyramidal Birch), 3 to 4 ft | 5 00 7 50 | |
| 0 10 0 11 | 7 50 3 00 | 25 00 |
| " NIGRA (rubra), 3 to 4 ft | 5 00 | 25 00 |
| "Paper, 5 to 6 ft | 3 00 | 25 00 |
| " 6 to 8 ft | 4 00 | 30 00 |
| " 8 to 10 ft | 5 00 | 40 00 |
| "PURPLE-LEAVED, 3 to 4 ft | 5 00 | |
| BIRD CHERRY—EUROPEAN, 5 to 7 ft | 3 00 | |
| BOX ELDER—See Negundo. | | |
| BUCKEYE-5 to 6 ft | 3 00 | |
| BUTTONWOOD—See Plane. | | |
| CATALPA—Bungell, top worked, 6 to 7 ft., 2 years | 6 00 | 50 00 |
| JAPAN HYBRID, 6 to 8 H | 3 00 | |
| 8 to 10 m | | 00.00 |
| KÆMPFERI, 0 to 8 it | 2 50 | 20 00 |
| " 8 to 10 ft | $\frac{4}{2} \frac{00}{50}$ | 15 00 |
| " SPECIOSA, 6 to 8 tt | 4 00 | 19 00 |
| " 10 to 12 ft | 5 00 | |
| " 12 to 14 ft, | 7 50 | |
| "SYRINGÆFOLIA, 6 to 8 ft | 2 50 | |
| " 8 to 10 ft | 4 00 | |
| | | |
| CHERRY—LARGE, DOUBLE-FLOWERED, 4 to 6 ft | 3 00 | |

| | | | | | | | Pe | r 10 | Per 1 | 00 |
|--|---|---|---|--|--|---|---|---|--|--|
| CHERR | Y—SIEBOLD'S | DOUBLE | WHITE-E | TLOWER | ED 2 to | 3 ft | | | | |
| CHIERTI | WEEPING. | See We | eping Tr | ees. | ED, 2 0 | 9 9 10 | ψ Ι | 00 | Ψ | |
| CORNU | S—FLORIDA. | See Dog | wood. | | | | | | | |
| CRAB A | PPLE—BECK | HTEL'S D | OUBLE-FI | LOWERE | D (New | r), 3 ft | 3 | 00 | | |
| " | " FLO | RIBUNDA | , 3 to 4 ft Atrosan | TOTITNE | 3 to 4 | f+ | 4 | 00 | | |
| DOGWO | OD-WHITE- | FLOWERE | D. 2 to 3 | ft | ., | | 3 | 00 | 25 | 00 |
| " | | | 3 to 4 | ft | | | 4 | 00 | | 00 |
| ELM-A | MERICAN, 6 | to 8 ft. 1 | l in | | | | 4 | 00 | 25 | |
| " | " 81 | to 10 ft | $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 1 | • • • • • • • | • • • • • • • • | $\begin{bmatrix} 5 \\ 1 \end{bmatrix}$ | 00 | 35 | 00 |
| 6.6 | 10 | to 12 ft. to 14 ft. | $\frac{1}{2}$ to $\frac{1}{2}$ in $\frac{1}{2}$ to $\frac{1}{2}$ in | .1• 1 | | | 15 | 50 00 | 100 | 00 |
| 6.6 | " 14 | to 16 ft. | $\frac{2}{3}$ to 4 in | 1 | | | $\ddot{30}$ | 00 | 100 | 00 |
| " | | | 4 to 5 ir | a . | | . <i>.</i> | 50 | 00 | | |
| " De | | | | | | | | 00 | | |
| " | 10 10 12 | | 5 in | | | | | 00 | | |
| " Н | untingdon, 6 | to 8 ft. | 1 in | • · · · · · · · · · · · · · · · · · · · | | | 5 | 00 | 35 | 00 |
| " | . " | 3 to 10 ft. | $1\frac{1}{4}$ to $1\frac{1}{2}$ | in | | | 6 | 00 | 50 | |
| 66 | | to 12 ft. | 15 to 2 | in | | | $\dots \mid 10$ | 00 | 75 | 00 |
| 66 | 12 | 2 to 14 ft. | $\frac{2}{2}$ to $2\frac{1}{2}$ | in, | | | 15 | 00 | | |
| ΤΡτ | 14 JRPLE-LEAVED | to 16 ft. | 5 10 4 | 1m | | | 50 | 00 | | |
| " | " LEAVED | | ft | | | | | 50 | | |
| " Se | COTCH, 6 to 8 | ft | | | | | 4 | 00 | 25 | 00 |
| " " | | | | | | | | 00 | 0.5 | 0.0 |
| " St | JPERBA, 6 to | | | | | | | 00 | 35 | 00 |
| " w | EEPING, CAMP | ERDOWN. | See We | ening 7 | rees. | | 10 | UU | | |
| HORSE | CHESTNUT | '—Doubi | LE. WHI | re-FLOV | VERED. | 5 to 6 | ft 6 | 00 | | |
| 6.6 | 6.6 | 6.6 | 6.6 | | 66 | C 40 0 | | 50 | | |
| | | | | | | | | | | |
| 4.6 | " | " | " | | 4.4 | 8 to 10 | ft 20 | 00 | | |
| | | | LOWERED | | " 6 ft | 8 to 10 | ft 20 7 | 00 50 | | |
| 66 | 66 | RED-F | LOWERED | 6 to | 6 ft 8 ft | 8 to 10 | ft 20 7 | 00 | | |
| " | " | RED-F | LOWERED | 6 to 8 to EED, 5 to | 6 ft 8 ft 10 ft | 8 to 10 | ft 20 7 10 20 3 | 00 50 00 00 00 | | |
| 66 66 66 | 66 66 66 | RED-F | LOWERED | 6 to 8 to EED, 5 to 8 to | 6 ft 8 ft 10 ft 6 ft. | 8 to 10 | ft 20 7 10 20 3 10 | 00 50 00 00 00 00 | 20 | 00 |
| 66 66 66 | 66 66 66 | RED-F | LOWERED '' E-FLOWER to 4 ft | 6 to 8 to 8 to 8 to | 6 ft 8 ft 10 ft 6 ft. 10 ft | 8 to 10 | ft 20 7 10 20 3 10 | 00 50 00 00 00 00 50 | 20 | 00 |
| "" "" "" JUDAS | " " " " FREE —AMEE | RED-F " WHITI RICAN, 3 to 5 4 to 5 | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft | 6 to 8 to 8 to 8 to | 6 ft 8 ft | 8 to 10 | ft 20 7 10 20 10 2 3 | 00 50 00 00 00 00 | 20 20 | |
| JUDAS | " " " " " TREE—AMER | RED-F "" WHITH RICAN, 3 1 4 t SH, 2 to 5 | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft 4 ft | 6 to 8 to 8 to 8 to | 6 ft 8 ft 10 ft 6 ft 10 ft | 8 to 10 | ft 20 7 10 20 3 10 2 | 00 50 00 00 00 00 50 00 50 | 20 | 00 |
| JUDAS | " " " " " " TREE—AMER " NUM—ENGLI SCOTCH | RED-F " WHITI " RICAN, 3 1 4 t SH, 2 to 3 3 to 4 H, 2 to 3 f | LOWERED '' E-FLOWER to 4 ft o 5 ft ft ft tt tt | 6 to 8 to 8 to 8 to | 6 ft 8 ft | 8 to 10 | ft 20 7 10 20 3 10 2 3 2 | 00 50 00 00 00 50 00 50 00 50 | 20 20 | 00 |
| JUDAS | " " " " " TREE—AMER | RED-F " WHITI " RICAN, 3 to 4 to 5 to 3 to 4 to 8 to 8 | LOWERED '' E-FLOWER to 4 ft o 5 ft 4 ft ft | 6 to 8 to 8 to 8 to | 6 ft 8 ft 10 ft 6 ft 10 ft | 8 to 10 | ft 20 7 10 20 3 10 2 3 3 3 2 3 4 | 00 50 00 00 00 50 00 50 00 50 | 20 | 00 |
| JUDAS Z | "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F " WHITI " RICAN, 3 to 4 SH, 2 to 3 6 to 8 8 to 10 | LOWERED "" E-FLOWER to 4 ft o 5 ft 3 ft 4 ft ft ft | 6 to 8 to 8 to 8 to | 6 ft 8 ft 10 ft 6 ft 10 ft | 8 to 10 | ft 20 7 10 20 3 10 2 3 3 4 4 | 00 50 00 00 00 50 00 50 00 50 00 | 20 20 | 00 |
| JUDAS TLABURI | CREE—AMERICAN, | RED-F " " WHITI " RICAN, 3 to 4 4 t SSH, 2 to 5 3 to 4 H, 2 to 3 f 6 to 8 8 to 10 12 to 14 | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft 4 ft ft ft ft ft | 6 to 8 to 8 to 8 to | 6 ft 8 ft 10 ft 6 ft 10 ft | 8 to 10 | ft 20 7 10 3 10 2 3 2 4 5 15 | 00 50 00 00 00 50 00 50 00 50 | 20 20 | 00 |
| JUDAS Z LABURI " LINDEN " " " | " " " " " " " " " " " " " " " " " " " | RED-F " " WHITH " RICAN, 3 to 4 SH, 2 to 5 H, 2 to 3 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft tt ft ft tt tt eaved), | 6 to 8 fo | 6 ft 8 ft 10 ft 6 ft 10 ft | 8 to 10 | ft 20 10 20 3 2 3 2 3 2 4 5 4 | 50 00 00 00 00 50 00 50 00 00 00 00 00 | 20 20 | 00 |
| JUDAS !! LABURI " LINDEN " " " " " | " " " " " " " " " " " " " " " " " " " | RED-F " WHITH " RICAN, 3 t 4 t 8H, 2 to 3 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l " | to 4 ft o 5 ft ft ft ft eaved), | 6 to 8 fo | 6 ft 8 ft 10 ft 6 ft 10 ft 10 ft | 8 to 10 | ft 20 10 3 3 2 3 2 5 5 4 5 4 5 5 | 50 00 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 | 00 |
| JUDAS Z LABURI " LINDEN " " " | " " " " " " " " " " " " " " " " " " " | RED-F " " WHITTI " SH, 2 to 3 3 to 4 4, 2 to 3 f 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l " " | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft 4 ft ft ft ft ft ft ft ft ft '' '' 12 | 6 to 8 fo 8 fo 8 to 8 fo 8 to 8 fo 8 fo 8 | 6 ft 8 ft 10 ft 10 ft 10 ft 10 ft 11 ft 11 ft 11 ft 11 ft 12 ft 13 ft 14 ft 15 ft 16 ft 17 ft 18 ft 19 ft 10 ft | 8 to 10 | ft 20 7 10 20 3 10 21 3 2 3 4 5 15 5 4 15 | 50 00 00 00 00 50 50 00 50 00 00 00 00 0 | 20 20 | 00 |
| JUDAS TELINDEN | " " " " " " " " " " " " " " " " " " " | RED-F " " WHITTI " SH, 2 to 3 3 to 4 4, 2 to 3 f 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l " " | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft 4 ft ft ft ft eaved), '' 12 eaved), | 6 to 8 to 8 to 8 to 8 to 10 to | 6 ft 8 ft 10 ft 10 ft 10 ft 11 ft 11 ft 11 ft 11 ft 11 ft | 8 to 10 | ft 20 10 20 10 20 10 2 3 2 5 5 4 15 4 15 4 | 50 00 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 | 00 00 00 |
| JUDAS !! LABURI " " LINDEN " " " " " " " " " " " " " " " " " " | " " " " " " " " " " " " " " " " " " " | RED-F " WHITH " RICAN, 3 to 4 4 to 5 5 to 6 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l " " (broad-l | to 4 ft o 5 ft ft ft eaved), '' eaved), '' '' '' '' '' '' '' '' '' '' '' '' '' | 6 to 8 to 8 to 8 to 8 to 10 to | 6 ft | 8 to 10 | ft 20 7 7 10 20 3 10 2 3 3 2 4 5 4 5 4 5 5 4 5 5 6 5 7 6 8 6 9 6 15 6 15 6 15 6 15 6 15 6 15 6 15 6 15 6 15 6 15 6 15 6 15 6 15 7 15 10 10 10 10 10 10 10 10 10 10 10 10 10 | 50 00 00 00 00 50 50 00 50 00 00 00 00 0 | 20 20 | 00 00 00 |
| JUDAS !! LABURI "" LINDEN "" "" "" "" "" "" "" "" "" | "" TREE—AMER "" SCOTCH —AMERICAN, "" DASYSTYLA EUROPEAN "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F "" WHITH RICAN, 3 to 4 4 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l "" (broad-l "" "" | to 4 ft o 5 ft ft ft eaved), '' '' '' '' '' '' '' '' '' '' '' '' '' | 6 to 8 to | 6 ft | 8 to 10 8 to 10 1 $\frac{1}{2}$ in 2 in 2 $\frac{1}{2}$ in | ft 20 7 10 20 3 10 2 3 2 4 5 5 4 5 4 5 7 15 15 4 5 7 15 15 15 15 15 15 15 15 15 15 15 15 15 15 15 | 50 00 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 | 00 00 00 |
| JUDAS !! LABURI " " LINDEN " " " " " " " " " " " " " " " " " " | "" TREE—AMER "" SCOTCH SCOTCH AMERICAN, "" DASYSTYLA EUROPEAN "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F "" WHITH RICAN, 3 to 4 t ssh, 2 to 8 t 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l "" "" "" "" | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft ft ft eaved), '' '' eaved), '' '' '' '' '' '' '' '' '' '' '' '' '' | 6 to 8 to 8 to 8 to 8 to 8 to 10 to 10 to 12 to 14 to 16 | 6 ft 8 ft 10 ft 10 ft 10 ft 11 ft 12 ft 11 in ft. 1½ tc 11 ½ tc 11 ½ tc 11 ½ tc | 8 to 10 1 $\frac{1}{2}$ in. 2 $\frac{1}{2}$ in. 2 $\frac{1}{2}$ in. 4 in. | ft 20 7 10 20 3 10 3 2 3 2 4 5 4 5 4 5 7 15 20 20 | 50 00 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 60 90 | 00 00 00 00 00 00 |
| JUDAS !! LABURI "" LINDEN "" "" "" "" "" "" "" "" "" | "" TREE—AMER "" SCOTCH —AMERICAN, "" DASYSTYLA EUROPEAN "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F "" WHITH RICAN, 3 to 4 t ssh, 2 to 8 t 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l "" "" "" "" | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft ft ft t eaved), '' '' eaved), '' '' 1 6 to 8 f | 6 to 8 to | 6 ft 8 ft 10 ft 6 ft 10 ft 10 ft 11 ft 12 ft 12 ft 12 ft 12 ft 13 ft 14 ft 15 ft | 8 to 10 8 to 10 1 $\frac{1}{2}$ in. 2 in. 2 $\frac{1}{2}$ in. 4 in. | ft 20 7 10 20 3 10 3 3 2 3 4 5 4 5 5 5 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 < | 50 00 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 60 | 00 00 00 00 00 00 |
| JUDAS !! LABURI "" LINDEN "" "" "" "" "" "" "" "" "" | " " " " " " " " " " " " " " " " " " " | RED-F "" WHITH RICAN, 3 to 4 SH, 2 to 5 6 to 8 8 to 10 12 to 14 4, 6 to 8 f (small-1 "" "" "" "" "LEAVED, | LOWERED "" E-FLOWER to 4 ft o 5 ft 3 ft 4 ft ft ft eaved), "" 12 eaved), "" 13 6 to 8 f 8 to 10 f | 6 to 8 to 8 to 8 to 8 to 10 ft 8 to 10 ft 8 to 10 ft 1 | 6 ft | 8 to 10 1 $\frac{1}{2}$ in 2 in 2 $\frac{1}{2}$ in 4 in | ft 20 7 10 20 3 10 2 3 2 4 5 5 4 5 4 5 15 4 5 15 4 20 7 10 10 | 50 00 00 00 00 50 00 50 00 00 | 20 20 30 40 60 90 60 | 00 00 00 00 00 00 00 |
| JUDAS TELINDEN "" LINDEN "" "" "" "" "" "" "" "" "" | "" TREE—AMER" "" SCOTCH SCOTCH —AMERICAN, "" DASYSTYLA EUROPEAN "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F "" WHITH RICAN, 3 1 4 t 8H, 2 to 3 6 to 8 8 to 10 12 to 14 1, 6 to 8 f (small-l "" "" "" "" "" "" "" "" "" "" "" "" " | LOWERED "" E-FLOWER to 4 ft o 5 ft 3 ft ft ft eaved), "" 12 eaved), "" 1 4 6 to 8 f 8 to 10 f 4 to 5 ft. ust). 2 to | 6 to 8 to 8 to 8 to 8 to 10 to 18 to 18 to 10 to 18 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 18 to 10 to 18 to | 6 ft 8 ft 10 ft 10 ft 10 ft 11 ft 12 ft 11 in ft. 12 tc 12 ft. 3 tc | 8 to 10 1 $\frac{1}{2}$ in 2 $\frac{1}{2}$ in 2 $\frac{1}{2}$ in 4 in | ft 20 7 10 20 3 10 2 3 2 4 5 5 4 5 4 5 4 5 7 15 20 7 10 2 3 | 50 00 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 60 90 | 00 00 00 00 00 00 00 |
| JUDAS TELABURITATION TO THE TELEST TO THE TELEST TE | "" TREE—AMER" "" SCOTCH SCOTCH -AMERICAN, "" DASYSTYLA EUROPEAN "" "" "" "" "" RED FERN- "" "" "HISPIDA (M. LIA—CONSPI | RED-F "" WHITH RICAN, 3 to 4 SH, 2 to 8 H, 2 to 8 H, 2 to 14 L, 6 to 8 f (small-l "" (broad-l "" "" "" "LEAVED, VELLOW, IOSS LOCU | LOWERED '' E-FLOWER to 4 ft o 5 ft 3 ft ft ft eaved), '' '' '' 1 6 to 8 f 8 to 10 f 4 to 5 ft. ust). 2 to | 6 to 8 to 8 to 8 to 8 to 10 to 18 to 18 to 10 to 18 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 10 to 12 to 14 to 16 to 18 to 18 to 10 to 18 to 18 to 19 to 18 to 18 to 19 to 18 to | 6 ft 8 ft 10 ft 6 ft 10 ft 10 ft 11 ft 12 tt 12 tt 12 tt 12 tt 13 tc | 8 to 10 1½ in. 2 in. 2½ in. 2½ in. 2½ in. 2½ in. | ft 20 7 10 20 3 30 10 22 3 32 4 55 4 55 4 55 4 57 15 20 7 10 2 3 25 | 00 50 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 60 90 60 | 00 00 00 00 00 00 00 |
| JUDAS TELABURE TO THE TELEST TO THE TELEST T | "" TREE—AMER "" SCOTCH SCOTCH AMERICAN, "" DASYSTYLA EUROPEAN "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F "" WHITH RICAN, 3 to 4 SH, 2 to 5 6 to 8 8 to 10 12 to 14 A, 6 to 8 f (small-1 "" "" "" "LEAVED, VELLOW, IOSS LOCU CUA, 3 to CUA, 3 to | LOWERED "" E-FLOWER to 4 ft o 5 ft 3 ft ft ft ft eaved), "" 1 eaved), "" 1 4 to 5 ft. as 1 to 4 ft 3 to 4 ft | 6 to 8 to | 6 ft8 ft10 ft2 ft2 ft1 in ft1½ tt4 tt4 tt4 ft1½ tt2 ft3 f | 8 to 10 1½ in. 2 in. 2½ in. 2½ in. 4 in. | ft 20 7 10 20 3 10 2 3 10 2 2 3 2 4 5 5 4 5 15 4 5 7 15 20 7 10 2 3 2 25 25 | 00 50 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 60 90 60 | 00 00 00 00 00 00 00 |
| JUDAS TELABURITATION TO THE TELEST TO THE TELEST TE | "" TREE—AMER "" SCOTCH SCOTCH AMERICAN, "" DASYSTYLA EUROPEAN "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F "" WHITH RICAN, 3 to 4 SH, 2 to 5 6 to 8 8 to 10 12 to 14 A, 6 to 8 f (small-1 "" "" "" "LEAVED, VELLOW, IOSS LOCU CUA, 3 to GGEANA, 5 GGEANA, 5 | LOWERED "" to 4 ft o 5 ft 3 ft 4 ft ft ft ft eaved), "" 1 eaved), "" 1 ft 6 to 8 ft. 8 to 10 f 4 to 5 ft. 1 st). 2 to 3 to 4 ft. 3 to 4 ft. | 6 to 8 to | 6 ft8 ft10 ft2 ft2 ft1 in ft1½ tt | 8 to 10 1½ in 2 in 2½ in 4 in | ft 20 7 10 20 3 10 2 3 10 2 3 2 4 5 4 5 15 4 5 7 15 20 7 10 3 25 25 20 20 | 00 50 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 60 90 60 | 00 00 00 00 00 00 00 |
| JUDAS Z LABURI "" LINDEN "" "" "" "" "" LOCUST MAGNO | "" TREE—AMEE "" SCOTCH "" SCOTCH "" DASYSTYLA EUROPEAN "" "" "" "" "" "" "" "" "" "" "" "" "" | RED-F "" WHITH RICAN, 3 to 4 SH, 2 to 5 6 to 8 8 to 10 12 to 14 A, 6 to 8 f (small-1 "" "" "" "LEAVED, VELLOW, IOSS LOCU CUA, 3 to CUA, 3 to | LOWERED "" E-FLOWER to 4 ft o 5 ft 3 ft ft ft ft eaved), "" 1 eaved), "" 6 to 8 f 8 to 10 f 4 to 5 ft. ust). 2 to 4 ft 3 to 4 ft. 3 to 4 ft. tf. 15 to 4 ft. 16 to 8 ft. 17 to 4 ft. 18 to 4 ft. 19 to 4 ft. 10 to 4 ft. 10 to 4 ft. 11 to 4 ft. 12 to 4 ft. 13 to 4 ft. 14 to 5 ft. 15 to 4 ft. 16 to 8 ft. 17 to 4 ft. 18 to 4 ft. 18 to 4 ft. 19 to 4 ft. 10 to 4 ft. 10 to 4 ft. 11 to 4 ft. 11 to 4 ft. 12 to 4 ft. 13 to 4 ft. 14 to 5 ft. 15 to 4 ft. 16 to 8 ft. 17 to 4 ft. 18 to 4 ft. | 6 to 8 to | 6 ft 8 ft 10 ft 10 ft 10 ft 10 ft 11 ft 12 tt 11 in ft. 12 tt 12 tt 12 tt 13 tc | 8 to 10 1½ in. 2 in. 2½ in. 2½ in. 4 in. | ft 20 7 10 20 3 10 2 3 2 4 5 5 4 5 4 5 2 15 4 20 7 10 2 3 25 25 20 20 20 | 00 50 00 00 00 50 00 50 00 00 00 00 00 0 | 20 20 30 40 60 90 60 | 00 00 00 00 00 00 00 |

| ¥ | | | Per 10 | Per 100 |
|---------|--|--|-------------------------------|----------|
| MAPLE- | -Ash-leaved-See Negundo. | | \$ | \$ |
| 4.6 | English, 3 to 4 ft | | 4 00 | |
| 6.6 | " 4 to 5 ft | | 5 00 | |
| " | EUROPEAN SYCAMORE, 16 to 20 | ft., 3 to 4 in. diameter. | 30 00 | |
| 6.6 | GINNALA, 3 to 4 ft | | 3 00 | 20 00 |
| " | " 5 to 6 ft | | 5 00 | |
| 4.6 | PURPLE-LEAVED SYCAMORE, 6 | to 8 ft.: | 7 50 | |
| " | TRICOLOR-LEAVED SYCAMORE, 3 | to 4 ft | 5 00 | |
| " | Worle's Golden-Leaved Syca | AMORE, 6 to 7 ft | 7 50 | |
| | JAPAN ATROPURPUREUM, 18 to 2 | 24 in., in pots | 15 00 | |
| 4.6 | " 2 to | 3 ft., " " | 25 00 | |
| 4.6 | " CUT-LEAVED PURPLE, 2 i | t, in pots | 15 00 | |
| 6.6 | NORWAY. 6 to 8 ft., 1 in | | 4 00 | 30 00 |
| 6.6 | " 8 to 10 ft., 1½ to 1½ i | n | 5 00 | 40 00 |
| 6.6 | " 12 to 14 ft 2 to 2\frac{1}{2} i | n | 20 00 | 100 00 |
| 6.6 | " 14 to 16 ft., 3 to 4 in | | 30 00 | |
| 6 6 | " 16 to 18 ft., 4 to 5 in | | 50 00 | |
| 6.6 | " CURLED-LEAVED (CU | CULLATUM), 6 to 8 ft | 7 50 | |
| 6.6 | "GENEVA, 5 to 6 ft | | 5 00 | |
| 6.6 | | | 7 50 | |
| 6.6 | " GOLD MARGINED-LE | AVED, 6 to 8 ft | 7 50 | |
| 6.6 | " LORBERGII, 3 to 4 f | | 5 00 | |
| 6.6 | " REITENBACH'S, 5 to | 6ft) > 1 . 1 (| 5 00 | |
| 6.6 | " 6to | 6 ft 7 ft Purple foliage in fall | 7 50 | |
| 6.6 | " 8 to 1 | Oft in fall | 15 00 | |
| 4.6 | " SCHWEDLER'S 6 to | 7 ft. Beautiful purple- | 10 00 | |
| | leaved Norway | Maple in spring | 7 50 | 50 00 |
| 6.6 | " UNDULATUM, 6 to 8 | £+) | 7 50 | |
| 6.6 | " 8 to 10 | ft Dark green | 10 00 | |
| 4.6 | " " 19 to 14 | ft crinkled foliage | 20 00 | |
| 6.6 | PENNSYLVANICUM, 3 to 4 ft | 10) | 4 00 | |
| 4.6 | RED OR SCARLET, 6 to 8 ft | | 5 00 | |
| 6.6 | | ED, 6 to 8 ft | 5 00 | |
| 6.6 | " " Fulcing 4 | to 5 ft | 5 00 | |
| 6.6 | " " FULGENS, 4 Silver-leaved or Soft, 6 to | 8 ft) 1 in diameter (| 2 50 | |
| 4.4 | " " " Sto | 10 ft 1½ to 1½ in.diam | 3 00 | |
| 6.6 | " " " 10 to | 19 ft (11 to 2 in diam) | 4 00 | |
| 6.6 | " " " " 10 to | 12 ft $1\frac{1}{2}$ to 2 in.diam. 4 ft 2 to $2\frac{1}{2}$ in.diam. | 7 50 | 1 5.1 11 |
| 6.6 | " " " 14 to | 16 ft 2½ to 3 in. diam. | 10 00 | |
| 6.6 | "CUT-LEAVED (E. & B.) | | 7 50 | |
| 4.6 | "CRISPUM, 5 to 6 ft | | 5 00 | |
| 6.6 | " LUTESCENS, 6 to 8 ft | | 5 00 | |
| 6.6 | "TRIPARTITUM, 6 to 8 ft | | 5 00 | |
| 6.6 | "WIER'S CUT-LEAVED, | 3 to 8 ft) 1 in diameter (| 3 00 | |
| 6.6 | " " " " " " " " " " " " " " " " " " " | 8 to 10 ft 1\frac{1}{4} to 1\frac{1}{2} in.diam | 4 00 | |
| 6.6 | | | 5 00 | |
| 6.6 | 7/ | $0 \text{ to } 12 \text{ ft} \left\{ \begin{array}{l} 1_{\frac{1}{2}} \text{ to } 2 \text{ in. diam.} \\ 2 \text{ to } 14 \text{ ft} \left\{ 2 \text{ to } 2_{\frac{1}{2}} \text{ in. diam.} \end{array} \right\}$ | 10 00 | |
| " | | 4 to 16 ft 2½ to 3 in, diam. | 15 00 | |
| 6 6 | | $\frac{1}{6}$ to $\frac{16}{6}$ ft $\frac{1}{2}$ to $\frac{1}{2}$ to $\frac{1}{2}$ in. diam. | 30 00 | |
| 6.6 | 1/ | m | 4 00 | |
| 6.6 | " 12 to 14 ft., 2 to $2\frac{1}{2}$ in. | in diam | 20 00 | |
| 6.6 | " 16 to 18 ft., 2 to 3 in. in | diam | $\frac{20}{25} \frac{00}{00}$ | |
| 6.6 | | | 7 50 | |
| TOUNT | AIN ASH—AMERICAN, 4 to 5 ft | ft | 4 00 | |
| 100111 | FIDED-TEAMED 9 + | o 10 ft | 5 00 | |
| 4.4 | FIDER-LEAVED, OU | \$4 | 3 00 | |
| 4.6 | | ft | 3 00 | |
| 44 | OAK-LEAVED, OLO O | ft | | |
| TECTINI | 01010 | ft | 4 00 | |
| TETTT | OO—ASH-LEAVED MAPLE (BOX | ELDER), 0 to 8 it | 2 50 | 15 00 |
| VETTIE | TREE—(CELTIS OCCIDENTALI | s), o to 8 It | 4 00 | |
| AK-BIO | OLOR, 5 to 6 ft | • | 7 50 | |
| | ESTNUT, 4 to 5 ft | | 7 50 | |
| 66 Ex | GLISH, 5 to 6 ft | | 5 00 | |

| | | - | | D . | |
|-------|---|-----|------------|----------|----|
| | | Per | | Per 1 | |
| OAK- | | | | \$ 50 | |
| " | " 8 to 10 ft | 10 | | 75 | |
| " | PIN (PALUSTRIS), 5 to 6 ft | | 00 | 40 | |
| 66 | " 6 to 8 ft | 10 | 50 | 50 75 | |
| . 66 | " 10 to 12 ft | 15 | | 100 | |
| 66 | " 12 to 14 ft | 20 | | 100 | 00 |
| 66 | Pyramidal Evergreen, 5 to 6 ft) A beautiful (| | 50 | | |
| 4 4 | PYRAMIDAL EVERGREEN, 5 to 6 ft A beautiful { formal tree. { | 10 | | | |
| 6.6 | Red, 5 to 7 ft | 7 | 50 | 60 | 00 |
| 6.6 | " 8 to 10 ft | 15 | | | |
| 6.6 | Turkey, 10 to 12 ft | 20 | | | |
| " | WHITE, (AMERICAN WHITE), 5 to 6 ft | 10 | | | |
| | | 15 | | | |
| PAVI | A—WHITLEYII, 5 to 6 ft | | 00 | | |
| PT.AN | "6 to 8 ft | | 00 | 30 | οο |
| " | " " " " " " " " " " " " " " " | | 00 | 50 | 00 |
| 6.6 | ORIENTAL (PLATANUS ORIENTALIS), 6 to 8 ft., 1 in | | 00 | 30 | 00 |
| 6.6 | $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ | | 00 | | •• |
| POPI | $\triangle AR$ —Alba (White Poplar), 6 to 8 ft | 2 | 50 | 15 | 00 |
| 66 | Balsam (Balm of Gilead), 6 to 8 ft | 2 | 00 | 10 | 00 |
| 6.6 | " 8 to 10 ft | | 50 | 15 | |
| 6.6 | " " 10 to 12 ft | | 00 | 20 | 00 |
| " | BOLLEANA, 6 to 8 ft | | 00 | | |
| " | Canadian or Cottonwood, 8 to 10 ft | | 50 | | |
| " | | | $00 \\ 00$ | | |
| 66 | CANESCENS, 6 to 8 ft | | 50 | Q | 00 |
| 66 | $^{\prime\prime}$ 8 to 10 ft. $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 00 | | 00 |
| 66 | " 10 to 12 ft. $1\frac{1}{2}$ to 2 in, | | 50 | | 00 |
| 6 6 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | 00 | | 00 |
| 6 6 | CERTINENSIS, 8 to 10 ft. | _ | 50 | | |
| 6.6 | " 10 to 12 ft | | 00 | | |
| 6.6 | Crispa, 8 to 10 ft | | 50 | | |
| 6.6 | ELEGANS, 6 to 8 ft | 2 | 00 | | |
| " | EUGENIE, 6 to 8 ft | | 00 | | |
| " | GOLDEN (VAN GEERT'S), 6 to 8 ft | | 00 | | |
| " | 0 10 10 16 | | 50 00 | 10 | ΩΩ |
| 66 | LOMBARDY, 6 to 8 ft. \(\frac{3}{4}\) to 1 in | | 50 | 10 | 00 |
| 66 | $8 \text{ to } 10 \text{ ft. } 1\frac{1}{4} \text{ to } 1\frac{1}{2} \text{ in.}$ Nolestii, $10 \text{ to } 12 \text{ ft.}$ | | 00 | | |
| 66 | TRICHOCARPA, 8 to 10 ft | | 50 | | |
| 66 | " 10 to 12 ft | | 00 | | |
| SALI | SBURIA—(MAIDEN HAIR TREE, GINKGO), 4 to 5 ft | | 00 | | |
| SWEI | ET GUM—(LIQUIDAMBAR), 3 to 4 ft | 3 | 00 | | |
| THOI | RN—Double Scarlet, 4 to 5 ft | | 00 | 30 | 00 |
| " | " RED, 4 to 5 ft | _ | 00 | | |
| " | WHITE, 4 to 5 It | _ | 00 | 00 | 00 |
| " | PAUL'S DOUBLE SCARLET, 4 to 5 ft | | 00 | 30 | 00 |
| 66 | AZAROLUS, 4 to 5 ft | | 00 | | |
| 66 | CARRIEREÍI, 4 to 5 ft | | 50 | | |
| " | CRUS-GALLI, 3 to 4 ft | | 00 | 15 | 00 |
| 66 | 6 to 8 ft. | | 00 | | 00 |
| 6.6 | GUMPPERI, 4 to 5 ft | 1 . | 00 | | |
| " | Mespilus, 4 to 5 ft | | 00 | | |
| " | Nigra, 4 to 5 ft | 4 | 00 | | |
| " | OXYACANTHA, 18 to 24 in | | 50 | | 00 |
| " | '' 3 to 4 ft | | 50 | | |
| | TANACETIFOLIA, 3 to 4 ft | 4 | 00 | | |
| VIRG | HLIA—LUTEA (YELLOW WOOD), 5 to 7 ft | j j | 00 | | |
| WAL. | IN UI-CUT-LEAVED (KUPESTRIS), 5 to 7 it | 4 | 00 | i | |

| | | Per 10 | |
|----------|--|---|-------------------------------|
| WILLOW- | BRITZENSIS, 4 to 5 ft Red bark, | \$ 1 50 | \$ 10 00 |
| 6.6 | " 5 to 6 ft $\}$ beautiful in $\}$ | 2 00 | 15 00 |
| " | " 6 to 8 ft) winter. (| 2 50 | 20 00 |
| | COLORADO, 4 to 5 ft. Blue bark in winter | 2 00 | |
| • • | LAUREL-LEAVED, 4 to 5 ft | 1 50 2 00 | |
| 66 | " | $\frac{2}{2} \frac{50}{50}$ | |
| 66 | " 8 to 10 ft | 3 00 | $\frac{10}{20} \frac{10}{00}$ |
| 6.6 | PALM-LEAVED, 1 year grafts, 5 to 6 ft | 2 50 | |
| 4.4 | REGALIS (ROYAL WILLOW), 5 to 6 ft Silvery foliage. | 2 50 | |
| | ROSEMARY-LEAVED 4 to 5 ft \ Low branched, \ | 2 50 | |
| | (Own roots, | | |
| 66 | I vear neads, top-granted, 4 to 5 It | $\begin{array}{c} 2 \ 50 \\ 1 \ 50 \end{array}$ | |
| 66 | RUSSIAN GOLDEN, 4 to 5 ft Bright golden "6 to 8 ft bark; very at- | $\frac{1}{2} \frac{00}{00}$ | |
| 66 | " 8 to 10 ft tractive in winter | 3 00 | |
| | SIEBOLDII, 6 to 8 ft. Beautiful narrow foliage | 2 50 | |
| 6.6 | ", 8 to 10 ft. " " " " | 3 00 |) |
| , " | Weeping Kilmarnock, etc. See Weeping Trees. | | |
| YELLOW | WOOD—See Virgilia. | | |
| ν . | WEEPING DECIDUOUS TREES. | | |
| BEECH-W | EEPING, 3 to 4 ft | 6 00 |) |
| 11 | " 4 to 5 ft | 7 50 | |
| 4.6 | " 5 to 6 ft | 10 00 | |
| BIRCH—Cu | T-LEAVED WEEPING, 5 to 6 ft | 6 00 | |
| | 0 to 8 It | 7 50 | 40 00 |
| " EUR | COPEAN WHITE WEEPING, 6 to 8 ft | 4 00 | |
| •• | 8 to 10 it | 5 00 | |
| 100 | NG'S WEEPING, 1st-class | | |
| CHERRI — | JAPONICA PENDULA, 1 year heads | 7 50 7 50 | |
| 4.4 | "ROSEA PENDULA, 1 year heads | 10 00 | . |
| ELM—CAMP | ERDOWN, first-class | 5 00 | |
| MOUNTAL | N ASH-Weeping, 2 year heads | 5 00 |) |
| MULBERR | \mathbf{Y} —Weeping, 1 year heads, first class | 7 50 | |
| WILLOW- | Babylonica, 6 to 8 ft | 2 00 | |
| ** | " 8 to 10 ft | 2 50 | 20 00 |
| 6 6 | "AUREA, Golden-barked Weeping Wil- | | |
| " | low, 8 to 10 ft | $\frac{2}{2}$ 50 | |
| ** | KILMARNOCK, 1 year heads | 2 50 | |
| " | NEW AMERICAN, own roots, 18 to 24 in | 2 00 | |
| 66 | " 1 year heads | $\frac{2}{2} \frac{50}{00}$ | |
| 6.6 | RIGIDA PENDULA, own roots, 3 to 4 ft | $\frac{2}{2} \frac{50}{50}$ | |
| 66 | SIEBOLD'S WEEPING, 8 to 10 ft | $\frac{2}{2} \frac{30}{00}$ | |
| 6.6 | " 8 to 10 ft. | $\frac{2}{2} \frac{50}{50}$ | |
| | EVERGREEN TREES. | | |
| | All transplanted, and root pruned. | | |
| ARBOR VI | | 5 00 | |
| | " 6 to 8 ft | | |
| | "Douglas' Golden, 18 to 24 in | 4 00 | |
| | GLOBOSA (GLOBE-HEADED), 2 ft | 4 00 | |
| • • | HOVEY'S GOLDEN, 18 to 24 in | 4 00 | |
| | "Intermedia, 18 to 24 in Siberian, 18 to 24 in | 4 00 | |
| | SIBERIAN, 18 to 24 in | 2 00 | |
| | " 2 to 3 ft | 2 50 | 15 00 |

| ARBOR VIT Z—TOM THUME, 9 to 12 in. JUNIPER—IRISH, 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 3 to 2 to 3 ft. 3 to 3 t | | Per 10 | Per 100 |
|---|---|--|---------|
| JUNIPER—IRISH, 18 to 24 in | ARROR VIT Æ_Tom THUMB 9 to 19 in | | |
| " " 2 to 3 ft | JUNIPER—IRISH, 18 to 24 in | $\begin{bmatrix} 9 & 2 & 50 \\ 2 & 00 \end{bmatrix}$ | |
| ## ROBUST (ROBUSTA), 3 to 4 ff. 400 PINE—AUSTRIAN, 18 to 24 in | " 2 to 3 ft | | |
| PINE—AUSTRIAN, 18 to 24 in | "ROBUST (ROBUSTA), 3 to 4 ft | 4 00 | |
| " MUGHO, 12 to 15 in | PINE—AUSTRIAN, 18 to 24 in | 2 50 | 20 00 |
| " SCOTTCH, 18 to 24 in | 2 to 3 it | | |
| " WHITE, 18 to 24 in | | | |
| " " 2 to 3 ft. | | $\frac{2}{2} \frac{50}{50}$ | |
| SILVER FIR—CONCOLOR, 2 to 3 ft | " 2 to 3 ft | | |
| " " NORDMANN'S, 18 to 24 in. | 0 00 T 10 | | 35 00 |
| SPRUCE—DOUGLASI, 2 to 3 ft. | SILVER FIR—CONCOLOR, 2 to 3 ft | | |
| SPRUCE—DOUGLASI, 2 to 3 ft. | NORDMANN S, 10 to 24 III | | |
| " Hemlock, 18 to 24 in | △ tO ∂ 1t | | |
| " " 2 to 3 ft. | " Hemlock, 18 to 24 in | | 30 00 |
| " " 3 to 4 ft. | " 2 to 3 ft | | |
| NORWAY, 18 10 24 1n | " 3 to 4 ft | | |
| "ORIENTAL, 2 to 3 ft | NORWAY, 18 to 24 in | | 15 00 |
| " PUNGENS GLAUCA (SELECTED BLUE), 18 to 24 in 20 00 "" " " " " 2 to 3 ft 25 00 "" " " 40 00 "" " " 40 00 "" " 40 00 "" " 40 00 "" " 40 00 "" 40 00 "" 40 00 "" 40 00 "" 40 00 "" 40 00 "" 40 00 "" 40 00 "" 40 00 "" 40 00 "" 5 00 "" 5 00 "" 12 to 18 in 50 00 "" 5 00 "" 12 to 18 in 50 00 "" 10 | 2 to 3 ft | | |
| " " " " " " 2 to 3 ft | PUNGENS GLAUCA (SELECTED BLUE) 18 to 94 in | | |
| """""""""""""""""""""""""""""""""""" | " 2 to 3 ft | | '* |
| """" "2 to 3 ft 4 00 30 00 25 00 """" "3 to 4 ft 5 00 "WHITE, 2 to 3 ft 4 00 YEW—ELEGANTISSIMA (GOLDEN), 6 to 9 in 6 00 50 00 """ STRICTA (ERECTA), 12 to 18 in 7 50 60 00 """ STRICTA (ERECTA), 12 to 18 in 7 50 50 04 00 """ "" 18 to 24 in 7 50 50 50 00 """ "" 2 to 3 ft 10 00 75 00 """ WASHINGTON GOLDEN, 18 to 24 in 10 00 75 00 """ WASHINGTON GOLDEN, 18 to 24 in 2 00 15 00 """ """ """ "" "" 12 to 15 in 2 50 20 00 MAHONIA—AQUIFOLIA, 12 in 2 00 15 00 MAHONIA—AQUIFOLIA, 12 in 2 00 15 00 DECIDUOUS SHRUBS. DECIDUOUS SHRUBS. ALMOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 ALMOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 ALTHÆA—DOUBLE. Named varieties, 18 to 24 in 2 00 15 00 """ """ """ "" "" " 2 to 3 ft 2 00 15 00 ARALIA—SPINOSA, 2 to 3 ft 2 00 2 00 | | | |
| " " 3 to 4 ft. 5 00 " WHITE, 2 to 3 ft. 4 00 YEW—ELEGANTISSIMA (GOLDEN), 6 to 9 in 6 00 " " 12 to 18 in 75 06 00 00 " STRICTA (ERECTA), 12 to 18 in 75 00 40 00 " " 18 to 24 in 75 00 50 00 " " " 2 to 3 ft. 10 00 75 00 " WASHINGTON GOLDEN, 18 to 24 in 10 00 EVERGREEN SHRUBS. DWARF BOX 15 00 15 00 EUONYMUS—JAPONICUS RADICANS, 9 to 12 in 2 00 15 00 " " " " 12 to 15 in 2 50 20 00 MAHONIA—AQUIFOLIA, 12 in 2 00 15 00 ALMOND—DWARF DOUBLE RED, 2 ft. 2 00 15 00 ALTHÆA—DOUBLE. Named varieties, 18 to 24 in 150 10 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 " TOTUS ALBUS (SINGLE PURE WHITE), 2 ft 150 ARALIA—SPINOSA, 2 to 3 ft. 2 50 AZALEA—MOLLIS BACCHARIS—HALIMIFOLIA, 2 to 3 ft 150 BACCHARIS—HALIMIFOLIA, 2 to 3 | O'REEN, 10 to 24 III | | |
| "WHITE, 2 to 3 ft. 4 00 YEW—ELEGANTISSIMA (GOLDEN), 6 to 9 in 6 00 50 00 "STRICTA (ERECTA), 12 to 18 in 7 50 60 00 "STRICTA (ERECTA), 12 to 18 in 5 00 40 00 "WASHINGTON GOLDEN, 18 to 24 in 10 00 75 00 "WASHINGTON GOLDEN, 18 to 24 in 10 00 75 00 "WASHINGTON GOLDEN, 18 to 24 in 10 00 75 00 EVERGREEN SHRUBS. 150 5 00 5 00 EUONYMUS—JAPONICUS RADICANS, 9 to 12 in 2 00 15 00 250 20 00 MAHONIA—AQUIFOLIA, 12 in 2 50 20 00 15 00 MAHOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 2 00 15 00 ALTHÆA—DOUBLE Named varieties, 18 to 24 in 1 50 10 00 "VARIEGATED-LEAVED, 18 to 24 in 2 00 15 00 "VARIEGATED-LEAVED, 18 to 24 in 2 00 15 00 "ARALIA—SPINOSA, 2 to 3 ft 2 50 20 00 AZALEA—MOLLIS 5 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 "EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 "PURPLE-LEAVED, 2 to 3 ft 1 50 10 00 "PURPLE-LEAVED | 2 to 5 it | | |
| YEW—ELEGANTISSIMA (GOLDEN), 6 to 9 in 6 00 50 00 "" STRICTA (ERECTA), 12 to 18 in 5 00 40 00 "" "" 18 to 24 in 7 50 50 00 "" "" 2 to 3 ft 10 00 75 00 "WASHINGTON GOLDEN, 18 to 24 in 10 00 75 00 EVERGREEN SHRUBS. EVERGREEN SHRUBS. EVERGREEN SHRUBS. EUONYMUS—Japonicus radicans, 9 to 12 in 2 00 15 00 MAHONIA—AQUIFOLIA, 12 in 2 00 15 00 MAHONIA—AQUIFOLIA, 12 in 2 00 15 00 DECIDUOUS SHRUBS. ALMOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 ALTHÆA—DOUBLE. Named varieties, 18 to 24 in 1 50 10 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 15 00 " VARIEGATED-LEAVED, 18 to 24 in 2 50 20 00 AZALEA—MOLLIS 5 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 " EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00< | 0 to 4 tt | | |
| " STRICTA (ERECTA), 12 to 18 in | YEW-ELEGANTISSIMA (GOLDEN), 6 to 9 in | 6 00 | |
| " STRIOTA (ERECTA), 12 to 18 in | " 12 to 18 in | 7 50 | |
| " " 18 to 24 in | " STRICTA (ERECTA), 12 to 18 in | | |
| ## WASHINGTON GOLDEN, 18 to 24 in. | " 18 to 24 in | | |
| EVERGREEN SHRUBS. DWARF BOX EUONYMUS—JAPONICUS RADICANS, 9 to 12 in | 2 to 5 tt | | |
| DWARF BOX 1 50 5 00 EUONYMUS—JAPONICUS RADICANS, 9 to 12 in 2 00 15 00 MAHONIA—AQUIFOLIA, 12 in 2 to 15 in 2 50 20.00 MAHOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 ALMOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 ALTHÆA—DOUBLE. Named varieties, 18 to 24 in 2 00 15 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 " TOTUS ALBUS (SINGLE PURE WHITE), 2 ft 1 50 ARALIA—SPINOSA, 2 to 3 ft 2 50 20 00 ARALIA—SPINOSA, 2 to 3 ft 1 50 10 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 " EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 " EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 " FURDEL-LEAVED, 2 to 3 ft 1 50 10 00 " FURDEL-LEAVED, 2 to 3 ft 1 50 | WASHINGTON GOLDEN, 10 to 24 III | 10 00 | |
| DWARF BOX 1 50 5 00 EUONYMUS—JAPONICUS RADICANS, 9 to 12 in 2 00 15 00 MAHONIA—AQUIFOLIA, 12 in 2 to 15 in 2 50 20.00 MAHOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 ALMOND—DWARF DOUBLE RED, 2 ft 2 00 15 00 ALTHÆA—DOUBLE. Named varieties, 18 to 24 in 2 00 15 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 " VARIEGATED-LEAVED, 18 to 24 in 2 00 " TOTUS ALBUS (SINGLE PURE WHITE), 2 ft 1 50 ARALIA—SPINOSA, 2 to 3 ft 2 50 20 00 ARALIA—SPINOSA, 2 to 3 ft 1 50 10 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 " EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 " EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 " FURDEL-LEAVED, 2 to 3 ft 1 50 10 00 " FURDEL-LEAVED, 2 to 3 ft 1 50 | | | |
| EUONYMUS—JAPONICUS RADICANS, 9 to 12 in | EVERGREEN SHRUBS. | | |
| EUONYMUS—JAPONICUS RADICANS, 9 to 12 in | DWARF BOX | 1 50 | 5 00 |
| DECIDUOUS SHRUBS. | EUONYMUS—JAPONICUS RADICANS, 9 to 12 in | 2 00 | |
| DECIDUOUS SHRUBS. | " 12 to 15 in | 2 50 | |
| ALMOND—DWARF DOUBLE RED, 2 ft | MAHONIA—AQUIFOLIA, 12 in | 2 00 | 15 00 |
| ALMOND—DWARF DOUBLE RED, 2 ft | | | |
| ALMOND—DWARF DOUBLE RED, 2 ft | DECIDUOUS SHRUBS. | | |
| """ "WHITE, 2 ft 2 00 15 00 ALTHÆA—Double. Named varieties, 18 to 24 in 1 50 10 00 """ Variegated-Leaved, 18 to 24 in 2 00 """ Totus albus (Single Pure White), 2 ft 1 50 ARALIA—Spinosa, 2 to 3 ft 2 50 20 00 AZALEA—Mollis 5 00 BACCHARIS—Halimifolia, 2 to 3 ft. 1 50 10 00 BARBERRY—Holly-Leaved, 18 to 24 in 2 50 """ European (Vulgaris), 2 to 3 ft. 1 50 10 00 """ Purple-Leaved, 2 to 3 ft. 1 50 10 00 """ Thunberge's (B. Thunbergii), 18 to 24 in. 1 50 10 00 BUCKTHORN—18 to 24 in. 1 50 2 50 15 00 CALYCANTHUS—18 to 24 in. 1 50 10 00 | ATTEONER D. | | |
| ##HTE, 2 ft. 2 00 ALTHÆA—Double. Named varieties, 18 to 24 in. 1 50 10 00 "VARIEGATED-LEAVED, 18 to 24 in. 2 00 "Totus albus (Single Pure White), 2 ft. 1 50 ARALIA—Spinosa, 2 to 3 ft. 2 50 20 00 AZALEA—Mollis. 5 00 BACCHARIS—Halimifolia, 2 to 3 ft. 1 50 10 00 BARBERRY—Holly-Leaved, 18 to 24 in. 2 50 "European (Vulgaris), 2 to 3 ft. 1 50 10 00 "Purple-Leaved, 2 to 3 ft. 1 50 10 00 "Thunberg's (B. Thunbergii), 18 to 24 in. 1 50 10 00 BUCKTHORN—18 to 24 in. 1 50 8 00 "CALYCANTHUS—18 to 24 in. 1 50 10 00 | | | |
| "" VARIEGATED-LEAVED, 18 to 24 in 2 00 "" VARIEGATED-LEAVED, 18 to 24 in 2 00 "" TOTUS ALBUS (SINGLE PURE WHITE), 2 ft 1 50 ARALIA—SPINOSA, 2 to 3 ft 2 50 20 00 AZALEA—MOLLIS 5 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 BARBERRY—HOLLY-LEAVED, 18 to 24 in 2 50 "" EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 "" PURPLE-LEAVED, 2 to 3 ft 1 50 10 00 "" THUNBERG'S (B. THUNBERGII), 18 to 24 in 1 50 10 00 BUCKTHORN—18 to 24 in 1 50 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | WHITE, Z IT | 1 50 | |
| " VARIEGATED-LEAVED, 18 to 24 in 2 00 " TOTUS ALBUS (SINGLE PURE WHITE), 2 ft 1 50 ARALIA—SPINOSA, 2 to 3 ft 2 50 20 00 AZALEA—MOLLIS 5 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 BARBERRY—HOLLY-LEAVED, 18 to 24 in 2 50 " EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 " PURPLE-LEAVED, 2 to 3 ft 1 50 10 00 " THUNBERG'S (B. THUNBERGII), 18 to 24 in 1 50 10 00 BUCKTHORN—18 to 24 in 1 50 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | | | |
| "TOTUS ALBUS (SINGLE PURE WHITE), 2 ft 1 50 ARALIA—SPINOSA, 2 to 3 ft 2 50 AZALEA—MOLLIS 5 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 10 00 BARBERRY—HOLLY-LEAVED, 18 to 24 in 2 50 "EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 "PURPLE-LEAVED, 2 to 3 ft 1 50 10 00 "THUNBERG'S (B. THUNBERGII), 18 to 24 in 1 50 10 00 BUCKTHORN—18 to 24 in 1 50 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | "VARIEGATED-LEAVED, 18 to 24 in | 2 00 | |
| AZALEA—MOLLIS 5 00 BACCHARIS—HALIMIFOLIA, 2 to 3 ft 1 50 1 0 00 BARBERRY—HOLLY-LEAVED, 18 to 24 in 2 50 "EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 "PURPLE-LEAVED, 2 to 3 ft 1 50 10 00 "THUNBERG'S (B. THUNBERGII), 18 to 24 in 1 50 10 00 BUCKTHORN—18 to 24 in 1 50 8 00 "5 to 7 ft 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | "Totus albus (Single Pure White), 2 ft | 1 50 | · l |
| BACCHARIS—HALIMIFOLIA, 2 to 3 ft. 1 50 10 00 BARBERRY—HOLLY-LEAVED, 18 to 24 in. 2 50 "EUROPEAN (VULGARIS), 2 to 3 ft. 1 50 10 00 "PURPLE-LEAVED, 2 to 3 ft. 1 50 10 00 "THUNBERG'S (B. THUNBERGII), 18 to 24 in. 1 50 10 00 BUCKTHORN—18 to 24 in. 1 50 8 00 "5 to 7 ft. 2 50 15 00 CALYCANTHUS—18 to 24 in. 1 50 10 00 | | | |
| BARBERRY—HOLLY-LEAVED, 18 to 24 in 2 50 "EUROPEAN (VULGARIS), 2 to 3 ft 1 50 10 00 "PURPLE-LEAVED, 2 to 3 ft 1 50 10 00 "THUNBERG'S (B. THUNBERGII), 18 to 24 in 1 50 10 00 BUCKTHORN—18 to 24 in 1 50 8 00 "5 to 7 ft 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | PACCUADIS HARMONIA 0 to 2 ft | 5 00 | |
| " EUROPEAN (VULGARIS), 2 to 3 ft. 1 50 10 00 " PURPLE-LEAVED, 2 to 3 ft. 1 50 10 00 " THUNBERG'S (B. THUNBERGII), 18 to 24 in. 1 50 10 00 BUCKTHORN—18 to 24 in. 1 50 8 00 " 5 to 7 ft. 2 50 15 00 CALYCANTHUS—18 to 24 in. 1 50 10 00 | BARRERRY—HOLLY-LEAVED 18 to 94 in | 9 50 | |
| " FURPLE-LEAVED, 2 to 3 ft 1 50 10 00 " THUNBERG'S (B. THUNBERGH), 18 to 24 in 1 50 10 00 BUCKTHORN—18 to 24 in 1 50 8 00 " 5 to 7 ft 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | "EUROPEAN (VULGARIS), 2 to 3 ft | 1 50 | |
| BUCKTHORN—18 to 24 in 1 50 8 00 "5 to 7 ft. 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | "PURPLE-LEAVED, 2 to 3 ft | $\hat{1}$ 50 | |
| BUCKTHORN—18 to 24 in 1 50 8 00 "5 to 7 ft. 2 50 15 00 CALYCANTHUS—18 to 24 in 1 50 10 00 | "THUNBERG'S (B. THUNBERGII), 18 to 24 in | 1 50 | 10 00 |
| CALYCANTHUS—18 to 24 in. 2 50 15 00 CARAGANA—Arborescens, 2 to 3 ft 1 50 10 00 | BUCKTHORN—18 to 24 in | 1 50 | |
| CARAGANA—ARBORESCENS, 2 to 3 ft 1 50 10 00 | 0 to / it | 2 50 | |
| | CARAGANA—ARBORESCENS, 2 to 3 ft | 1 50 | |

| | Per 1 | 0 _ | Per 100 |
|---|-----------------|-----------|-------------------------------|
| CARYOPTERIS—MASTACANTHUS, 12 to 18 in | \$ 1.5 | 0 \$ | 10 00 |
| CEANOTHUS—AMERICANUS, 12 to 18 in | 1 5 | iõ | 10 00 |
| CEPHALANTHUS—Occidentalis, 2 to 3 ft. | 1 5 | | 10 00 |
| CI EDUDA ATTEMPT I 19 40 94 in | $\frac{1}{1}$ 5 | | |
| CLETHRA—ALNIFOLIA, 18 to 24 in | 1 5 | | 10 00 |
| COLUTEA—ARBORESCENS, 2 to 3 ft. | | | $\frac{10}{10} \frac{00}{00}$ |
| 0 to 4 It | 2 0 | | 12 00 |
| CORNUS—ALTERNIFOLIA, 2 to 3 ft | 1 5 | | $10 \ 00$ |
| " 3 to 4 ft | 2 (|)0 | 15 00 |
| " MASCULA, 18 to 24 in | 1 5 | 50 | 10 00 |
| " 3 to 5 ft | 2 0 | 00 | 15 00 |
| " VARIEGATA, 18 to 24 in | 2 (| | 10 00 |
| "PANICULATA, 2 to 3 ft | | 50 | 10 00 |
| "SANGUINEA, 2 to 3 ft | | 50 | 8 00 |
| SANGUINEA, 2 to 5 ft | | | |
| 0 10 0 10 | 2 (| | $\frac{12}{15} \frac{00}{00}$ |
| ELEGANTISSIMA, 2 to 5 tt | | 00 | 15 00 |
| "SIBERICA, 2 to 3 ft | | 00 | $15 \ 00$ |
| " SPÆTHII, 2 to 3 ft | | 50 | $20 \ 00$ |
| "STOLONIFERA AUREA (YELLOW-BARKED), 2 to 3 ft | | 00 | 15 00 |
| "RED-BARKED, 2 to 3 ft | 1 5 | 50 | 10 00 |
| " | 2 (| 00 | 15 00 |
| "VIRIDISSIMA, 2 to 3 ft | | 00 | 15 00 |
| CURRANT—AUREUM (YELLOW-FLOWERED), 2 to 3 ft | - | 50 | 10 00 |
| GORDON'S 9 to 9 ft | | 50 | |
| GORDON S, 2 to 8 it | 0.5 | | 10 00 |
| SANGUINEUM (DOUBLE) 2 II | 2 5 | | 15 00 |
| DESMODIUM—PENDULIFLORUM, 18 to 24 in | | 00 | 15 00 |
| DEUTZIA—CRENATA FL. PL. (DOUBLE PINK), 2 to 3 ft | 1 5 | | $10 \ 00$ |
| " ALBA (DOUBLE WHITE), 2 to 3 ft | 1 5 | 50 | $10 \ 00$ |
| "GRACILIS, 12 to 18 in | 1 5 | 50 | 10 00 |
| "CAMPANULATA, 2 to 3 ft | 2 (| 00 | |
| " CARMINEA 2 to 3 ft Lemoine's | 2 (| 00 | |
| " CARMINEA, 2 to 3 ft Lemoine's ROSEA, 2 ft (New Deutzias.) | | 00 | |
| " VENUSTA, 2 to 3 ft | | 00 | |
| 16 I PROTYPHY Of the | | 50 | 10 00 |
| " LEMOINEII, 2 ft | | | |
| TRIDE OF DOCHESTER, 2 to 5 H | 1 5 | | 10 00 |
| TARVIFLORA, 10 to 24 III | | 00 | |
| SUABRA, 2 to 3 It | | 50 | 10.00 |
| ELÆAGNUS—ARGENTEA, 2 to 3 ft | | 50 | $10 \ 00$ |
| ELÆAGNUS—ARGENTEA, 2 to 3 ft. ELDER—ACUTILOBA, 2 to 3 ft | 1.5 | | $10 \ 00$ |
| "Canadensis, 2 to 3 ft | 1 5 | 50 | $10 \ 00$ |
| "CUT-LEAVED, 2 to 3 ft | 1 5 | 50 | |
| "GOLDEN-LEAVED, 2 to 3 ft | 1 5 | 50 | $10 \ 00$ |
| "Pyramidalis, 2 to 3 ft | | 50 | |
| "RACEMOSUS, 3 ft | 1 5 | 50 | |
| FUONYMITS—Approprieties 18 to 94 in | 2 (| 00 | 15 00 |
| EUONYMUS—Atropropureus, 18 to 24 in. "Bungeanus, 2 to 3 ft | 2 (| 00 | 10 00 |
| 66 4 to 5 ft | 2 5 | | |
| I 10 0 10 | | 50 | 10.00 |
| EUROPEAN, 2 to 3 ft | 1 5 | | 10 00 |
| EXOCHORDA—2 to 3 ft. | | 00 | 15 00 |
| FORSYTHIA—FORTUNEII, 2 to 3 ft | | 50 | $10 \ 00$ |
| "Intermedia, 2 to 3 ft | | 50 | $10 \ 00$ |
| " Suspensa, 18 to 24 in | 1 5 | 50_{11} | $10 \ 00$ |
| "VIRIDISSIMA, 2 to 3 ft | 1 5 | 50 | $10 \ 00$ |
| HIPPOPHÆ—RHAMNOIDES, 2 to 3 ft. | 2 (| 00 | 15 00 |
| HOP TREE—(PTELEA), 3 to 4 ft | 1 8 | | 10 00 |
| 5 to 7 ft | | 00 | 15 00 |
| "GOLDEN-LEAVED, 3 to 4 ft | | 50 | 10 00 |
| GOLDEN-LEAVED, 5 to 4 It | 2 (| | 15 00 |
| HONEYSUCKLE—ALBERTI, 12 to 18 in | | | |
| FRAGRANTISSIMA, 18 to 24 III | 2 (| 00 | 15 00 |
| LEDEBUUKI, 12 10 10 III | 2 (| | |
| GRANDIFLORA ALBA, 18 to 24 in | 1 5 | | |
| " RUBRA, 2 to 3 ft | 1 8 | | |
| "RED TARTARIAN, 18 to 24 in | 1 8 | | $10 \ 00$ |
| " RED TARTARIAN, 18 to 24 in | 1 8 | 50 | |

| • | Per 10 | Per 100 |
|---|-------------------------------|----------|
| HONEYSUCKLE—BELLA CANDIDA, 2 to 3 ft | \$ 1 50 | \$ 10 00 |
| BELLA ROSEA, 2 to 3 ft | 1 50 | 10 00 |
| " Morrowi, 2 to 3 ft | 1 50 | 10 00 |
| | | |
| HYDRANGEA—PANICULATA GRANDIFLORA, 2 to 3 ft | 1 50 | |
| HIDRANGEA—FANICULATA GRANDIFLORA, 2 to 3 lt | 1 50 | |
| Tree form, 5 to 5½ it | 2 50 | 15 00 |
| HYPERICUM—Moserianum, 9 to 12 ft | 2 00 | 15 00 |
| JAPAN QUINCE—BLUSH AND UMBELICATA, 18 to 24 in | 1 50 | |
| SCARLET, 18 to 24 in | 1 50 | |
| 2 to 3 it | 2 00 | 10 00 |
| " MAULEII, 2 to 3 ft | 2 50 | |
| KERRIA—Japonica, 18 to 24 in | 1 50 | |
| LAURUS—BENZOIN, 2 to 3 ft | 2 00 | 15 00 |
| LILAC-AMURENSIS, 2 to 3 ft. | 2 00 | |
| "COMMON PURPLE 2 to 3 ft | 1 50 | |
| "COMMON PURPLE, 2 to 3 ft. "WHITE, 2 ft. | 1 50 | 10 00 |
| "CÆRULEA SUPERBA, 3 to 4 ft | $\frac{1}{2} \frac{00}{00}$ | 15 00 |
| CAROLLEA SUFERDA, 9 to 4 lt. | $\frac{2}{2} \frac{00}{00}$ | 15 00 |
| "CHARLES X., 2 to 3 ft | | |
| JAPONICA, Z to 5 lt | 2 00 | 15 00 |
| ð to 4 It | 2 50 | 20 00 |
| LAMARUK. 5 to 4 It | 2 50 | İ |
| "MME. LEMOINE, 2 to 3 ft. New double white PRESIDENT GREVY, 2 to 3 ft | 2 50 | |
| "President Grevy, 2 to 3 ft | 2 50 | |
| "Princess Alexandra (White), 2 to 3 ft | 2 50 | |
| " ROTHOMAGENSIS, 3 to 4 ft | 2 00 | 15 00 |
| "SIBERIAN WHITE, 2 to 3 ft "VILLOSA, 2 to 3 ft | 2 00 | |
| "VILLOSA 2 to 3 ft | 2 00 | 15 00 |
| "Our Assortment, \ Finest named \ 2 to 3 ft | $\frac{5}{2}$ $\frac{50}{50}$ | |
| " " " " " " " " " " " " " " " " " " " | 3 00 | 25 00 |
| MYRICA—CERIFERA, 12 to 18 in | 1 50 | 10 00 |
| PHILADELPHUS—See Syringa. | 1 00 | 10 00 |
| | 2 00 | Į |
| PRINOS—VERTICILLATA, 18 to 24 in. | | |
| PRIVET—ALBA MARGINATA, 2 to 3 ft. | 1 50 | |
| AUREA VARIEGATA, 2 to 5 ft | 1 50 | |
| DUA-LEAVED. 2 to 9 It | 1 50 | |
| "CALIFORNIA, 18 to 24 in\$25 per 1000 | 1 00 | 5 00 |
| " 2 to 3 ft\$30 per 1000 | 1 50 | 6 00 |
| "Common (English Privet), 2 to 3 ft | 1 50 | |
| " IBOTA. 2 to 3 ft | 1 50 | 10 00 |
| " Regelianum, 2 to 3 ft | 1 50 | 10 00 |
| "WHITE-BERRIED, 2 to 3 ft | 1 50 | 10 00 |
| PRUNUS—PISSARDI, 4 to 5 ft. Purple-leaved Plum. Retains | | |
| its color throughout season | 2 00 | 15 00 |
| "TRILOBA (DOUBLE-FLOWERED), 2 to 3 ft | $\frac{5}{2} 00$ | 12 00 |
| PURPLE FRINGE—2 ft | 1 50 | |
| OHINCE JAPAN Soo Japan Quingo | 1 50 | 10 00 |
| QUINCE—JAPAN—See Japan Quince. RHAMNUS—IMERETINA, 3 ft | 2 50 | |
| " ALDINGTON A 1 1 5 64 | $\frac{2}{2} \frac{50}{50}$ | |
| ALPINUS, 4 to 5 ft | | |
| RHODOTYPUS—KERRIOIDES, 18 to 24 in | 1 50 | |
| RHUS—AROMATICA, 18 to 24 in | 2 50 | 10.00 |
| COTINUS, Z It | 1 50 | |
| 1 YPHINA, Z TO 5 H | 2 00 | 15 00 |
| SNOWBERRY—See Symphoricarpus. | | |
| SPIRÆA—ANTHONY WATERER (new, superb), 18 to 24 in | 1 50 | 10 00 |
| " Arguta, 2 ft | 1 50 | 10 00 |
| "BILLARDI, 2 to 3 ft | 1 50 | 10 00 |
| "Bumalda, 3 ft Callosa, 2 to 3 ft | 1 50 | 10 00 |
| "CALLOSA, 2 to 3 ft | 1 50 | 10 00 |
| " 3 to 4 ft | 2 00 | 15 00 |
| " ALBA (FORTUNE'S DWARF WHITE), 18 to 24 in. | 1 50 | 10 00 |
| "CRATÆGIFOLIA, 2 to 3 ft | 1 50 | 10 00 |
| "Douglasii, 2 to 3 ft | 1 50 | 10 00 |
| "FREBELII, 2 to 3 ft. | $\frac{1}{1} \frac{50}{50}$ | |
| | 1 500 | 10 00 |

| | | | 10 |
|--|-----|-----|----------|
| | Per | 10 | Per 100 |
| SPIRÆA—OPULIFOLIA (Green), 2 to 3 ft | @ 1 | 50 | \$ 10.00 |
| "AUREA (GOLDEN SPIRÆA), 2 to 3 ft | 9 1 | 50 | 10 0 |
| GOLDEN SPIRMA), 2 to 3 ft | 1 | | 10 0 |
| I KUNIFULIA, FL. FL., 2 to 5 it | | 50 | 10.0 |
| 10EEVESII. 2 00 0 10 | 1 | 50 | 10 0 |
| FL, PL, 2 10 | 1 | 50 | |
| "ROTUNDIFOLIA ALBA, 2 to 3 ft | 1 | 50 | |
| "SALICIFOLIA, 2 to 3 ft | 1 | 50 | 10 0 |
| "Sorbifolia, 2 to 3 ft | 1 | 50 | 10 0 |
| " 3 to 4 ft | | 00 | 15 0 |
| "THUNBERGII, 18 to 24 in | | 50 | 10 0 |
| "ULMIFOLIA, 2 to 3 ft | | 50 | 10 0 |
| "VANHOUTTEI, 2 to 3 ft | | 50 | 10.0 |
| | | | 10 0 |
| STEPHANANDRA—FLEXUOSA, 18 to 24 in. | | 00 | 10.0 |
| SYMPHORICARPUS—VULGARIS (INDIAN CURRANT), 2 to 3 ft. | | 50 | 10 0 |
| "RACEMOSUS (SNOWBERRY), 2 to 3 ft | | 50 | 8 0 |
| " 3 to 4 ft | 2 | 00 | 10 0 |
| SYRINGA-(PHILADELPHUS, MOCK ORANGE). | | | |
| "CORONARIUS, 2 to 3 ft | 1 | 50 | 10 0 |
| "GORDONIANUS, 2 to 3 ft | | 50. | |
| "GRANDIFLORUS, 2 to 3 ft | | 50 | 10 0 |
| "GOLDEN-LEAVED, 18 to 24 in. | | 00 | 15 0 |
| | | | |
| LEMOINEII ERECTUS, Z II | | 50 | 10 0 |
| NIVALIS, 2 to 5 It | | | 10 0 |
| SPECIOSISSIMUS, 2 to 5 It | | 50 | |
| "ZEYHERI, 2 to 3 ft | 1 | 50 | 10 0 |
| TAMARIX—AFRICANA, 2 to 3 ft | 1 | 50 | 8 0 |
| "CHINENSIS, 2 to 3 ft | 1 | 50 | 8 0 |
| "Indica, 2 to 3 ft | 1 | 50 | 8 0 |
| "NARBONNE, 2 to 3 ft | | 50 | |
| VIBURNUM—Cassinoides, 18 to 24 in | 9 | 50 | 20 0 |
| 11 UNI — CASSINOIDES, 10 to 24 III. | 5 | 00 | 15 0 |
| "DENTATUM, 2 to 3 ft | 5 | 00 | |
| LENTAGO, 2 to 5 It | | | |
| υ tO ± 1b | 2 | 50 | 20 0 |
| MOLLE, 2 to 3 ft | | 00 | |
| 5 to 4 1t | | 50 | 20 0 |
| OPULUS, 2 to 5 II. HIGH BUSH CRANBERRY | | 50 | 10 0 |
| "PLICATUM (JAPAN SNOWBALL), 18 to 24 in | 2 | 50 | 20 0 |
| "STERILIS (COMMON SNOWBALL), 2 to 3 ft | 1 | 50 | 10 0 |
| Tomentosum, 2 to 3 ft | 2 | 00 | 15 0 |
| VITEX—Agnus castus, 18 to 24 in. | 2 | 00 | 15 0 |
| WEIGELA—AMABILIS, 2 to 3 ft | 1 | 50 | 10 0 |
| "CANDIDA (White), 2 to 3 ft | | 50 | 10 0 |
| "Desboisii, 2 to 3 ft | | 50 | 10 0 |
| DESOUSH, 2 to 3 lt. | 1 | | |
| " DWARF VARIEGATED-LEAVED, 18 to 24 in | | 50 | 10 0 |
| 2 10 5 11 | | 00 | 15 0 |
| EVA RATHKE, 10 to 24 III | 2 | 00 | 15 0 |
| "FLORIBUNDA, 2 to 3 ft | 1 | 50 | 10 0 |
| "GUSTAVE MALLET, 2 to 3 ft | 1 | 50 | 10 0 |
| "Hendersoni, 2 to 3 ft | 1 | 50 | 10 0 |
| "OTHELLO, 2 to 3 ft | 1 | 50 | |
| "P. DUCHARTRE, 2 to 3 ft | | 50 | 10 0 |
| "Rosea, 2 to 3 ft. | | 50 | 10 0 |
| AND DELLA WE NO O IN THE PROPERTY OF THE PROPE | - | 50 | _0 0 |
| | | | |
| HEDGE PLANTS. | | | |
| | Per | 100 | Per 1000 |
| BARBERRY—THUNBERGII, 18 to 24 in | 10 | | |
| BUCKTHORN—18 to 24 in. | 10 | 00. | |
| DDIVET CATIFORNIA 10 to 94 i | 0 | | 05 A |
| PRIVET CALIFORNIA, 18 to 24 in | | 00 | 25 0 |
| ω υΟ ο 1υ | 6 | 00 | 30 0 |
| JAPAN QUINCE, 18 to 24 in | 8 | 00 | |
| ARBOR VITÆ-SIBERIAN, 18 to 24 in | 12 | | |
| " 2 to 3 ft | 15 | 00 | |
| | | | |

| | Per | 10 | Per 100 |
|--|-----|----|-----------|
| CLIMBING SHRUBS. | | | |
| | | | |
| | | | \$ 15 00 |
| ARISTOLOCHIA | 3 | 00 | |
| AMPELOPSIS—QUINQUEFOLIA (AM. IVY, VIRGINIA CREEPER). | 1 | 50 | 6 00 |
| "VEITCHII, 2 years, field grown | | 50 | $10 \ 00$ |
| BIGNONIA—RADICANS (TRUMPET FLOWER) | | 50 | 8 00 |
| CISSUS-Variegata | | 50 | $10 \ 00$ |
| CELASTRUS—SCANDENS | 1 | 50 | $10 \ 00$ |
| " Paniculatus | | 50 | $10 \ 00$ |
| CLEMATIS—HENRYII | | 50 | $20 \ 00$ |
| " Jackmanni | | 50 | $20 \ 00$ |
| " MME. EDWARD ANDRE | 2 | 50 | |
| " Paniculata | 1 | 50 | 8 00 |
| "SIEBOLDII | 2 | 50 | |
| "VIRGINICA (AMERICAN WHITE) | 1 | 50 | 8 00 |
| HONEYSUCKLE—CANADENSIS | 1 | 50 | |
| "GOLDEN-LEAVED | 1 | 50 | 8 00 |
| " HALLEANA (HALL'S JAPAN) | 1 | 50 | 8 00 |
| "PERICLYMENUM | 1 | 50 | 8 00 |
| IVY—GIANT. Pot plants | | 00 | |
| "Irish. Pot plants | 2 | 00 | |
| "RHOMBEA VARIEGATA. Pot plants | 2 | 00 | |
| LYCIUM—(MATRIMONY VINE) | 1 | 50 | 8 00 |
| PERIPLOCA—GRÆCA (SILK VINE) | 1 | 50 | 10 00 |
| VIRGINIA CREEPER—(AMPELOPSIS QUINQUEFOLIA) | 1 | 50 | 6 00 |
| WISTARIA—CHINESE PURPLE | 2 | 50 | 15 00 |

ROSES.


One of Our Leading Specialties. Strong, Field-grown Plants.
All of our own growing.

| | | Per 10 | Per 100 |
|---------------------------|---|-----------------------------|---------|
| CLIMBING | G-Baltimore Belle | | |
| " | CRIMSON RAMBLER | | 10 00 |
| 6.6 | HELENE. | $\frac{1}{1} \frac{50}{50}$ | 10 00 |
| 6.6 | PHILADELPHIA RAMBLER (new) | | 10 00 |
| 6.6 | | | 8 00 |
| 6.6 | PINK RAMBLER | | 0 00 |
| 6.6 | PSYCHE (new) | | 0.00 |
| 66 | QUEEN OF PRAIRIES | | 8 00 |
| 44 | WHITE RAMBLER | | 8 00 |
| " | YELLOW RAMBLER | 1 50 | 8 00 |
| 4.6 | LEUCHTSTERN New Ramblers | 1 50 | 10 00 |
| | , | 1 | |
| 66 | WICHURIANA (the type) | 1 50 | 8 00 |
| 6.6 | "HYBRID—DOROTHY PERKINS | | 8 00 |
| 44 " | " IN VARIETY | 1 50 | 8 00 |
| SUMMER- | -Carolina | 1 50 | 8 00 |
| 6.6 | MME. PLANTIER | 1 50 | 10 00 |
| 6.6 | Dawson | 1 50 | 10 00 |
| 6.6 | Persian Yellow | 2 00 | 13 00 |
| HYBRID ' | PERPETUAL-ANNE DE DIESBACH, BARON DE | | 10 00 |
| Bonst Jacqui Mme. (| ETTEN, EUGENE FURST, FRANCOIS LEVET, GEN. EMINOT, JOHN HOPPER, LADY HELEN STEWART, GABRIEL LUIZET, MAGNA CHARTA, MARGARET DICK- IRS. JOHN LAING. PAUL NEYRON. PRINCE CAMILLE | | |
| | HAN | 1 50 | 10 00 |

| | Per | 10 | Per | 100 |
|---|-----|-----------------|-----|-----|
| HYBRID RUGOSA-MME. G. BRUANT | | | | |
| RUGOSA—RUBRA | | 50 | | 00 |
| POLYANTHA—CLOTHILDE SOUPERT. Pot plants | 1 | $\frac{00}{50}$ | 12 | 00 |
| BOURBON—HERMOSA. Pot plants | | 00 | | 00 |
| BRIAR—COMMON SWEET BRIAR | | 50 | | 00 |
| NEW HARDY YELLOW ROSE. | | | | |
| SOLEIL D'OR | 3 | 00 | 15 | 00 |
| NEW HARDY EVERBLOOMING ROSE. | | | | |
| | | 00 | 05 | 00 |
| MME. NORBERT LEVAVASSEUR (Baby Rambler) | 3 | 00 | 25 | 00 |
| TREE ROSES. | | | | |
| Crimson Rambler | 4 | 00 | ! | |
| TREE PÆONIES. | | | | |
| BANKSII—CHINESE DOUBLE BLUSH, first-class | 5 | 00 | | |
| HERBACEOUS PÆONIES. | | | | |
| CHINESE—SELECTED VARIETIES, Pink and Red | 2 | 00 | 10 | 00 |
| "" White | | 00 | | 00 |
| " Festiva Maxima | 5 | 00 | | • • |
| "TENUIFOLIA FL. PL | 2 | 50 | 20 | 00 |
| TARRY DITTOYES A Superb Collection | | | | |
| HARDY PHLOXES. A Superb Collection. | | | | |
| Belvedere—Salmon pink, crimson eye. Distinct | 1 | 50 | 6 | 00 |
| Caran d'Ache—Pink. | 1 | 50 | 6 | 00 |
| Coquelicot—Scarlet. | | 50 | | 00 |
| Henri Murger—Pure white, carmine eye. Extra | 1 | 50 | | 00 |
| La Vague—Beautiful silvery rose, crimson eye Le Siecle—Pink. Lothair—Large truss, salmon color, crimson eye. One of the finest | 1 | 50 50 | | 00 |
| Lothair—Large truss, salmon color, crimson eve. One of the finest | 1 | 50 | | 00 |
| Pantheon—Large florets, pink. A beautiful shade | 1 | 50 | | 00 |
| Phanaon Lightnumla white star-shaned center Distinct and fine | | 50 | | 00 |
| Queen—Pure white. Richard Wallace—Large truss, white, with violet eye | | 50 | | 00 |
| Wm. Robinson—Salmon | | 50 50 | | 00 |
| wint. Robinson—Samion | _ | 00 | U | 00 |
| HARDY BORDER PLANTS. | | | | |
| All good giged plants on good divisions | | | | |
| All good sized plants or good divisions. | | | | |
| ACHILLEA—IN VARIETY | 1 | 00 | | 00 |
| ACONITUM-UNCINATUM | 1 | 50 | 10 | 00 |
| AGROSTEMMA. | 1 | 00 | 0 | 00 |
| AJUGA—REPTANS ALBA | | $\frac{00}{00}$ | | 00 |
| ALYSSUM—ARGENTEUM | | 00 | | 00 |
| "SAXATILE | 1 | 00 | | |
| "COMPACTUM | | 00 | | |
| ANSONIA | | 00 | 0 | 00 |
| ANEMONE—Japonica | | 50 50 | | 00 |
| " QUEEN CHARLOTTE | 1 . | 50 | | 00 |
| "WHIRLWIND | 1 | 50 | | 00 |
| AQUILEGIA—MIXED. | | 00 | | 00 |
| ARABIS—ALPINA. ARMERIA—MARITIMA. | | 50 00 | 8 | 00 |
| ARMERIA—MARITIMA ARUNDO—Donax | | 50 | 10 | 00 |
| ASCLEPIAS—TUBEROSA | | 00 | 10 | |
| ASPERULA—ODORATA | | 00 | | 00 |
| ASPHODELINE—LUTEA | 1 | 00 | 6 | 00 |

| | T | |
|--|---|----------------|
| | Per 10 | Per 100 |
| ASTER—In variety | \$ 1 00 | \$ 8 00 |
| ASTILBE-JAPONICA | 1 00 | |
| " Pyramidalis | 1 50 | |
| AUBRETIAOLYMPICA | 1 50 | 8 00 |
| BOCCONIA—CORDATA | 1 00 | 6 00 |
| BOLTONIA—LATISQUAMÆ | 1 00 | 8 00 |
| CAMPANULA—In variety. | 1 00 | 8 00 |
| CENTAUREA—In variety | 1 00 | 8 00 |
| CENTRANTHUS—ALBUS | 1 00 | |
| CERASTIUM—In variety | 1 00 | 8 00 |
| CLEMATIS—DAVIDIANA | 1 50 | H |
| CORONILLA—VARIA | 1 00 | H |
| COREOPSIS—In variety | 1 00 | 8 00 |
| DELPHINIUM—SEEDLINGS. | 1 00 | 6 00 |
| DICENTRA—Spectabilis | 1 50 | |
| DICTAMNUS-ALBUS | 2 50 | |
| " Rubra | 2 50 | H |
| DIGITALIS—SEEDLINGS | 1 00 | |
| ECHINOPS—Humilis | 1 00 | 8 00 |
| ERIANTHUS-RAVENNÆ | 1 00 | 8 00 |
| ERYNGIUM—AMETHYSTINUM | 1 00 | ı l |
| EULALIA—GRACILLIMA UNIVITTATA | 1 00 | 8 00 |
| FUNKIA—CÆRULEA | 1 00 | ų. |
| "GRANDIFLORA ALBA | 1 50 | 10 00 |
| "Japonica | 1 50 | 10 00 |
| GERANIUM—In variety | 1 00 | · į |
| GYPSOPHILA—PANICULATA | 1 50 | 1 |
| HARPALIUM—RIGIDUM | 1 00 | |
| HELENIUM—AUTUMNALE SUPERBUM | 1 00 | 6 00 |
| HELIANTHEMUM | 1 00 | 8 00 |
| HELLEBORUS-NIGER | 250 | 1 |
| HEMEROCALLIS-FLAVA | 1 00 | 6 00 |
| "KWANSO, FL. PL | 1 00 | 1 |
| " MIDDENHORFIANA | 1 00 | |
| " SIEBOLDII | 1 00 | |
| THUNBERGII | 1 00 | |
| HIERACIUM—AURANTIACUM. | 1 00 | |
| HIBISCUS—ALBUS | 1 00 | |
| INCANUS | 1 00 | |
| NOSEUS | 1 00 | |
| IBERIS-CORRÆFOLIA | 1 50 | |
| " SEMPERVIRENS | 2 00 | |
| IRIS—GERMAN. In variety | 1 00 | |
| JAPAN. In variety | 1 50 | , |
| LINUM—PERENNE | 1 00 | |
| LOBELIA—CARDINALIS | 1 50 | |
| LOTUS—CORNICULATUS. | 1 50 | |
| LYCHNIS—CHALCEDONICA | 1 00 | |
| LYSIMACHIA—THYRSIFLORA | $\begin{bmatrix} 1 & 00 \\ 1 & 00 \end{bmatrix}$ | |
| MONARDA—DIDYMA ŒNOTHERA—FRASERII | 1 00 | |
| PAPAVER—ORIENTALE | | |
| PHLOX—AMENA. | $\begin{array}{c c} 1 & 00 \\ 1 & 50 \end{array}$ | |
| "SUBULATA | $\begin{array}{ c c c c } & 1 & 50 \\ & 1 & 50 \end{array}$ | |
| ,, | $\begin{array}{c c} 1 & 50 \\ 1 & 50 \end{array}$ | |
| PLATYCODON—GRANDIFLORUM | $\begin{array}{c c} 1 & 50 \\ 1 & 00 \end{array}$ | |
| "ALBUM | $\begin{array}{c c} 1 & 00 \\ 1 & 00 \end{array}$ | |
| POLEMONIUM—CÆRULEUM. | $\frac{1}{1} \frac{00}{00}$ | |
| PRIMULA—In variety | 1 00 | |
| PYRETHRUM—ULIGINOSUM. | 1 00 | |
| "KING OSCAR | $\frac{1}{2} \frac{00}{00}$ | |
| RANUNCULUS—In variety. | $\frac{1}{1} \frac{00}{00}$ | |
| RUDBECKIA—NITIDA | 1 00 | |
| ATTEMPT TO THE PROPERTY OF THE | . 1 00 | 0.00 |

| | Per 10 | | 10 Per 1 | |
|-------------------------------|--------|---------|------------|-----|
| RUDBECKIA-GOLDEN GLOW | \$ 1 | 1 00 \$ | | -00 |
| SANGUINARIA—CANADENSIS | 1 | 00 | 8 | 00 |
| SAPONARIA—OCYMOIDES | 1 | 00 | | |
| SAXIFRAGRA—In variety | 1 | 00 | | |
| SEDUM—In variety | 1 | 00 | 8 | 00 |
| SHASTA DAISY | 1 | 00 | 8 | 00 |
| SILENE—VISCOSA PLENA | 1 | 50 | 10 | 00 |
| SPIRÆA—ASTILBOIDES FLORIBUNDA | 1 | 50 | -8 | 00 |
| "FILIPENDULA | 1 | 00 | 8 | 00 |
| " FL, PL, | 1 | 00 | 8 | 00 |
| "LOBATA | 1 | 50 | 10 | 00 |
| "PALMATA ELEGANS | 1 | 00 | 8 | 00 |
| " ULMARIA | 1 | 00 | 8 | - |
| " FL. PL. | 1 | 00 | 8 | |
| STACHYS—LANATA | î | 00 | _ | 00 |
| STOKESIA—CYANEA | 1 | 00 | - | 00 |
| TRADESCANTIA—VIRGINICA | 1 | 00 | | 0.0 |
| TRILLIUM—GRANDIFLORUM | 1 | 50 | 10 | -00 |
| VERONICA—GENTIANOIDES | 1 | 00 | 8 | |
| VINCA—CÆRULEA MINOR. | 1 | 00 | 6 | |
| " HERBACEA | 1 | 00 | 8 | |
| " PURPUREA PLENO | 1 | 00 | 8 | |
| 1 URPUREA PLENO | 1 | UU | 0 | U |



A Bed of Phlox Lothair at St. Louis World's Fair, 1904.

Exhibited by Ellwanger & Barry.

EVERGREENS FOR WINTER DECORATION

Suitable for planting in tubs, vases, etc. We have a good stock of different kinds.

PURPLE-LEAVED NORWAY MAPLE "SCHWEDLERI"

This is one of the best ornamental foliaged trees. It is a rapid grower, vigorous, healthy, very effective, and deserves to be extensively planted.

WILLOWS

We beg to draw particular attention to our large stock of CHOICE WILLOWS. These are handsome, rapid growing trees, and very useful where immediate results are desired.

PURPLE-LEAVED PLUM PRUNUS PISSARDI

A valuable small tree, with very handsome purple foliage. It has the merit of retaining its deep purple color throughout the season, and is very ornamental on that account.

TWO NEW, BEAUTIFUL AND DISTINCT RAMBLER ROSES

DESERVING A PLACE IN EVERY GARDEN

RUBIN—A ruby red Rambler of rapid, vigorous growth, flowering freely. We confidently recommend it to planters to accompany the CRIMSON RAMBLER.

LEUCHTSTERN—Another Rambler, vigorous and free-blooming, flowers single, rose colored with white eye. A unique variety.

PHLOXES AND PEONIES

Our stock is very large and comprises the best varieties.

CALIFORNIA PRIVET

FOR HEDGES

We have a large supply of fine plants.

PIN OAK

Beautiful trees.

BOCCONIA CORDATA

PLUME POPPY

A very picturesque plant, growing 6 to 8 feet high; suitable for screens, the back of borders, or for planting singly. In each case it is very effective, and gives immediate results most satisfactorily.

Leading Specialties

FOR FALL, 1905

CURRANT-Fay's.

RASPBERRY-Marlboro.

GRAPES-Campbell's Early; Concord.

BIRCH-Paper.

CATALPA-Bungei. Standards.

CHERRY-Weeping.

LINDEN-European Broad-leaved.

MAPLE-Silver-leaved, 8 to 10 ft.; 10 to 12 ft.; 12 to 14 ft.

OAK-Pin, 6 to 8 ft.; 8 to 10 ft.

POPLAR-Carolina, 8 to 10 ft.; 10 to 12 ft.; 12 to 14 ft.

WILLOWS-In variety (fine).

THORN-Double Scarlet.

CORNUS-Sanguinea.

LILAC-Common Purple, 2 to 3 ft.

HYDRANGEA-Paniculata Grandiflora.

PRUNUS-Pissardi.

SNOWBERRY, 2 to 3 ft.

PRIVET-California.

VIBURNUM-Dentatum.

- " Lentago.
- "Tomentosum.

VIRGINIA CREEPER.

HARDY HERBACEOUS PLANTS.

- " PHLOX-Distinct Varieties.
- " ROSES-In Variety.

NOVELTIES

NEW ANEMONE-Queen Charlotte.

NEW ROSES-Leuchtstern; Rubin; Philadelphia Rambler.